


DIMENSIONAL VIEWS

7-seater









* With roof rails

Note: Glass antenna is optional.

All measurements in millimeters



www.facebook.com/MitsubishiMotors.en



www.youtube.com/user/MitsubishiMotorsAd



©2016-2017 MITSUBISHI MOTORS CORPORATION. All rights reserved.

Gc/ME35C160Feb.17T Printed in Japan



The paper used in this catalogue has been certified by the FSC"(Forest Stewardship Council") as having been produced through a 'chain of custody' system of forestry management, tracking and production oversight that ensures responsible consideration for the earth's ecosystem. Mitsubishi Motors has adopted the combined use of FSC-certified paper and recycled paper in our efforts to reduce CO₂ emissions and promote more efficient use of natural resources. In this way, we hope to contribute to greater protection of the environment.



MONTERO SPORT



www.new-monterosport.com







For normal road conditions



For rough roads and hazardous conditions



For rugged terrain with low-grip surfaces







OFF ROAD MODE

Improve traction when driving off road by entering the GRAVEL, MUD/SNOW, SAND or ROCK* setting. Simply press the OFF ROAD MODE selector until the appropriate mode appears in the multi-information display. Engine output, transmission settings and braking adjust accordingly to optimize performance.

* The ROCK setting is available in the 4LLc setting only. Note: OFF ROAD MODE is only available in the 4HLc and 4LLc settings



SUPER 4WD-II

Using the drive mode selector dial, you can switch between 2WD (2H) and 4WD (4H, 4HLc) with shift-on-the-fly convenience at up to 100km/h. When the going gets rough, lock the center differential by entering the 4HLc setting for rugged terrain or the 4LLc setting for inclines, mud, sand and snow.

Note: The vehicle must be stopped while switching between 4HLc and 4LLc. Super Select 4WD-II lets you shift between 2H, 4H and 4HLc modes at speeds up to 100km/h. Vehicle must be stopped when switching between 4HLc and 4LLc. Please see the owner's manual for additional information.



Hill Descent Control (HDC)

Pressing the HDC mode selector activates HDC, which automatically applies the brakes to maintain your current speed when traveling downhill at 2 ~ 20km/h. This lets you concentrate on steering and travel downhill with greater safety without having to manually apply the brakes. Note: Hill Descent Control (HDC) is not a substitute for safe driving. Never rely solely on this function while driving on steep roads. When driving on slippery roads such as muddy, icy or unpaved road, your vehicle will not allow you to stay at a certain low speed, which may lead to a serious accident. Please see the owner's manual for additional



When starting on a steep slope, HSA helps prevent you from rolling backwards while you release the brake by maintaining the braking force for up to two seconds until the accelerator is applied.



With Hill Start Assist



Without Hill Start Assist

Note: Hill Start Assist (HSA) is not a substitute for safe driving. Never rely solely on this function while driving on steep roads. Your vehicle may move backwards if the brake pedal is heavily loaded, or if the road is very steep or slippery. This function is not designed to keep the vehicle stopped in place on uphill slopes for more than 2 seconds. Do not rely on this function to maintain a stopped position as an alternative to depressing the brake pedal. Please see the owner's manual for additional information.

Active Stability & Traction Control (ASTC)

Active Stability & Traction Control independently regulates braking force to the wheels during cornering to help maintain excellent vehicle stability when needed. It also optimizes traction to prevent loss of torque whenever wheel spin is detected by controlling engine output and applying brake force to the spinning wheels.



Note: The control capabilities of ASTC are supplemental only. Please drive safely and never rely solely on these functions while driving. Be sure to use the same specified type and size of tires on all 4 wheels. Do not install any aftermarket limited slip differential on

Class-leading 5.6m turning radius

The turning radius is surprisingly small for a vehicle of this size, making it especially easy to park and maneuver.



All-terrain confidence

Because challenges come in all shapes and sizes, this model is designed to climb up, over, around and through the toughest







Solid Handling

Handling is stable and accurate on and off road, in all kinds of weather and driving conditions, thanks to selectable 2WD and 4WD modes, an OFF ROAD MODE that enhances traction on demanding surfaces, intelligent assistance in challenging conditions, an advanced suspension and outstanding all-around clearance.







Note: Equipment may vary by market. Please consult your local Mitsubishi Motors dealer/distributor for details

Dynamic Power


Whether passing vehicles on highways or traveling up steep slopes, you need powerful response you can depend on. The 3.0-liter V6 MIVEC* gasoline engine generates all the power you demand of a rugged SUV to accomplish every mission with smooth, efficient ease.

* MIVEC (Mitsubishi Innovative Valve timing Electronic Control system)



3.0-liter V6 MIVEC

Tough and powerful, the high-displacement V6 engine supplies strong acceleration even when carrying heavy loads or traveling up mountain roads.



3.0-liter V6 MIVEC (Euro2 161kW/6000rpm)



8-speed automatic transmission Paddle shifters

The 8-speed automatic transmission, the first from Mitsubishi Motors, delivers a smoother, more luxurious ride and improved fuel efficiency.



Sporty paddle shifters let you shift gears with a press, without removing your hand from the steering wheel.



Technology For Peace Of Mind

Sophisticated new safety features intelligently support safer driving whether you are parking or cruising on the highway. You can drive with greater confidence knowing that all occupants are solidly protected by a robust RISE body and comprehensive safety measures.

Blind Spot Warning system (BSW)

This safety feature uses ultrasonic sensors on the rear bumper to detect vehicles in your rear blind spots, on the right and left sides. When a vehicle is detected, a warning indicator appears on the door mirror on that side.





Ultrasonic misacceleration Mitigation System (UMS)

To help prevent collisions while parking, this system sounds a buzzer and displays a warning if front or rear sensors detect a nearby obstacle in your path. Engine output is also automatically controlled if you suddenly accelerate by accident.

Engine output control activates:

- When driving at 0-10km/h (not in N or P position)
- When obstacle/vehicle is within approx, 4m range - When accelerator pedal is pushed hard or abruptly
- When driver is not turning to avoid obstacle/vehicle



Forward Collision Mitigation system (FCM)

Helps prevent a frontal collision or reduce damage if the collision becomes unavoidable. Responds to vehicles via radar.



Warning + braking assistance



Warning + auto braking

Extremely high danger of collision

Warning + strong auto braking

BRAKE!

FCM indication on

multi-information display


Note: The detection and control capabilities of the Blind Spot Warning system (BSW) are supplemental only and do not warn you of vehicles in blind spots in every situation. Please do not rely solely on this system while driving. The blind spot monitor may not operate normally in some cases, depending on traffic, weather, road surface conditions and the presence of obstructions. Drivers are fully responsible for their own safe driving. The radar wave graphics are used for illustrative purposes only and do not represent the actual sensor application.

The detection and control capabilities of the Ultrasonic misacceleration Mitigation System (UMS) are supplemental only and do not prevent misacceleration in The detection and control capabilities of the Ultrasonic misacceleration Mitigation System (UMS) are supplemental only and do not prevent misacceleration in every situation. Please drive safely and do not rely solely on this system while driving. • To prevent the engine output control provided by UMS from causing an impediment during normal driving in rough-road driving conditions, the system automatically de-activates and indicates UMS OFF in the meter cluster when the 4LLc, R/D lock, or HDC setting is ON or the ASTC function is OFF. • No function completely stops the vehicle via the automatic braking. The vehicle creeps forward even when engine output is regulated. • The sensing system may not work for netlike and sharp-edged obstructions that do not sufficiently reflect ultrasonic sound. • UMS does not include a function which keeps the vehicle stationary. The driver is responsible for stopping the vehicle by pressing the brake pedal as required by the driving conditions. •The ultrasonic sensor wave graphics are for illustrative purposes only and do not represent the actual sensor application.

The detection and control capabilities of the Forward Collision Mitigation system (FCM) are supplemental only and do not prevent collisions in every situation. Please drive safety and do not rely solely on this system while driving. FCM may not activate in some situations. Please read the owner's manual carefully and be aware of these limitations. Auto braking does not operate against stationary vehicles when the speed of your car is above approx. 30km/h. Since FCM has no function to maintain braking, the brake is released approximately 2 seconds after stopping. To prevent the vehicle from moving thereafter, the driver may have to hold the brake pedal down. In some cases, FCM may not function if the driver takes actions for accident avoidance through steering or acceleration operation.

Multi-around Monitor

The views from cameras mounted on the front, rear and sides of the vehicle (including a bird's-eye view) can be displayed in various combinations to reveal what is in blind spots and help you park more



Rear view + Bird's-eye view


RISE body

Collision safety performance is significantly enhanced by Mitsubishi Motors' RISE (Reinforced Impact Safety Evolution) body, which efficiently absorbs energy and maintains high cabin integrity in the event of a collision.



Rigid lightweight body

The body is extremely sturdy and lightweight, due to the generous use of high tensile strength steel plates that also contribute to a high level of collision safety.



7 SRS airbags*

In the event of a collision, seven SRS airbags help protect you and your passengers by absorbing the force of impact. The system includes front airbags, front side airbags, curtain airbags (including third-row curtain airbags in the 7-seater) and a driver's knee airbag.

*Front airbags on all grades. Side, curtain and driver's knee airbags on



Note: Airbags are part of a Supplemental Restraint System (SRS). To decrease the risk of injury from a deploying airbag, always weseatbelt, sit upright in the middle of the seat and do not lean again the door. Always place children 12 and under in the rear seat and use appropriate child restraints. Never place a rear-facing infant restraint in the front seat. Please see the owner's manual and the instructions provided with your child restraint for additional information.

Pretensioners

Pretensioners on the front seatbelts automatically tighten the belts in the event of a collision to help restrain the driver and front passenger.

Note: Single pretensioners are standard, double pretensioners are optional



Tire Pressure Monitoring System (TPMS)

TPMS employs sensor-transmitters in the wheels to monitor tire pressure and illuminates a warning lamp on the combination meter cluster if one or more tires becomes significantly underinflated.



No vehicle in front

Adaptive Cruise Control (ACC)

Your selected speed is maintained even if you

remove your foot from the accelerator pedal.

Maintains a selected distance between your vehicle and the car ahead via radar to lend driving assistance and enhance driving comfort. It especially reduces driver stress during slow traffic jams on highways.



Your selected distance between vehicles is maintained.




ACC indication on



When the vehicle in front slows or stops. ACC slows or stops your vehicle.

Note: The detection and control capabilities of ACC are supplemental only. Please drive safely and never rely solely on these functions while driving. ACC may not activate in some situations. This system may not correctly detect the actual situation depending on the type of vehicle in front and its conditions, the weather conditions, and the road conditions. Additionally, the system may be unable to decelerate sufficiently if the vehicle in front applies the brakes suddenly or another vehicle cuts into your path, so your vehicle approaches the front vehicle. When the car stops, ACC finishes its control and the brake is released approximately 2 seconds after stopping. To prevent the vehicle from moving thereafter, the driver may have to hold the brake pedal down. Please see the owner's manual for additional information



parking brake or push the switch

down to release it.

Feature Highlights



Dual-zone automatic climate control air conditioner

The powerful air conditioning system provides separate temperature settings for the driver and front passenger.



Powerful front and rear air flow

The air conditioning system now provides significantly more powerful cooling with top-class air flow that keeps all passengers comfortable even in the hottest weather.



Cargo space

1 Third-row seatbacks folded down
2 Second and third-row seatbacks folded down



Mitsubishi Multi Communication System (MMCS)

The multifunctional navigation system clearly displays navigation and music functions on a big touch panel display with easy-to-use interface. Images from the rear-view camera can also be displayed to enhance driving safety.



Wide 2DIN AM/FM DVD display audio

Enjoy movies on the high-res 6.1-inch WVGA display and music from your audio player via USB, HDMI or AUX port. Or display views from the rear view camera.



Wide 2DIN AM/FM CD display audio (redesigned)

Controlling the audio system is easy on the 6.1-inch QVGA touch-panel display, which can also display the views from the rear view camera.



CD/MP3 player

A quality tuner/CD player and USB port on the floor console enable easy connection with an iPod or other audio player for charging or listening pleasure.

Genuine Accessories

17





Note: Actual accessories may vary from those shown or change without notice. Available accessories may vary by market.

GLX

3.0-liter V6 MIVEC (8A/T)





GLS H

3.0-liter V6 MIVEC (8A/T)





GLS Premium Navi Package

3.0-liter V6 MIVEC (8A/T)







Note: Equipment may vary by market. Please consult your local Mitsubishi Motors dealer/distributor for details.

Exterior Colors

NEW

White Pearl (W54)



White Solid (W32)



Black Mica (X08)



Sterling Silver Metallic (U25)



Titanium Gray Metallic (U17)



Deep Blue Mica (T64)



Medium Red Mica (P17)



Deep Bronze Metallic (C17)



Seat Materials And Colors



High quality fabric (Water repellent, Beige)



Leather (Beige)

Exterior And Interior Color Combinations

Standard	 Not available

Grade			GLX		GLS							
				М		Н	Premium	Premium DVD Package	Premium Navi Package			
Seat materials and colors	High quality fabric (Beige)			•					-			
	Leather (Beige) NEW		_	-	_							
Exterior colors	White Pearl	W54	-	-	-	-		-				
	White Solid	W32		•	-	-	-	-	-			
	Black Mica	X08		•								
	Sterling Silver Metallic	U25			•							
	Titanium Gray Metallic	U17		•								
	Deep Blue Mica	T64		•			•					
	Medium Red Mica	P17			•			•				
	Deep Bronze Metallic	C17	•	•	•	-						

Note: Colors shown may differ slightly from actual colors due to printing process. Please consult your local Mitsubishi Motors dealer/distributor for actual colors.

TECHNICAL SPECIFICATIONS

Model										
Drive system			2	:WD				4WD		
•			2	VVD			CD04 MU/CO	4000		
Engine							6B31 MIVEC			
Grade										
			GLX	N	1	GLS	Н	Premium	Premium DVD Package	Premium Navi Packa
Model code			KR5W0	GUMMLW				KS5WGUPMLW		
Dimensions and weig	hts									
Overall length		mm					4785			
Overall width		mm					1815			
Overall height		mm		1800 (W/O	roof rail	ls)		1850 (With	roof rails)	
Wheelbase		mm					2800			
Track	Front	mm					1520			
	Rear	mm					1515			
Overhana	Front						880			
Overhang		mm								
	Rear	mm					1105			
Min. ground clearance		mm					218			
Curb weight (7-seater)		kg	1	880				1980		
Gross vehicle weight		kg					2600			
			5	7			7			
Seating capacity		persons	Ü	/			7			
Performance										
Max. speed*		km/h					182			
Climbing ability		tanθ		_				1		
Min. turning radius		m					5.6			
Approach angle		degrees					30.0			
Ramp break-over angle	9	degrees					23.1			
Departure angle		degrees					24.2			
Wading depth		mm					700			
Engine										
Fuel type/Octane						Unleade	d gasoline, RON 95	and over		
Displacement		CC					2,998			
Bore and stroke		mm					87.6 x 82.9			
							9.5			
Compression ratio Emission level										
							Euro2			
Max. output (EEC net)		kW/rpm					161/6,000			
Max. torque (EEC net)		N·m/rpm					285/4,000			
Electrical and fuel sys Battery	stems						80D26L			
Alternator							130A			
							130A			
Fuel systems							F6:			
Fuel supply system							ECI-MULTI			
Fuel tank capacity		liters					70			
Transmission										
Туре			8A/T (R8AWG)				8A/T (V8AWG)		
Clutch				converter				, ,		
								Torque converter		
Gear ratio	1st			.845				4.845		
	2nd		2.	.840				2.840		
	3rd		1.	.863				1.863		
	4th			.436				1.436		
	5th			.216				1.216		
	6th			.000				1.000		
	7th		0.	.815				0.815		
	8th			.672				0.672		
	Reverse			.825				3.825		
Transfer as +:-			3.							
Transfer gear ratio	High			-				1.000		
	Low			-				2.566		
Final gear ratio			3.	.917				3.917		
Steering						Pack or	nd ninion with nowo	r etooring		
Type Suspensions							nd pinion with powe	_		
Front					lr		wishbone, coil sprii	•	ar	
Rear						3-link o	oil springs with stab	ilizer bar		
Brakes										
Brake system	Front					Ventilated disc	c brakes (2POT, Dia	ameter 320mm)		
·	Rear						/entilated disc brak			
Tires and wheels										
							265/60R18 110H			
Tires										

* Measured by MITSUBISHI MOTORS CORPORATION

Note: These specifications are subject to change without notice. Please consult your local Mitsubishi Motors dealer/distributor for detailed specifications.

Note: Equipment may vary by market. Please consult your local Mitsubishi Motors dealer/distributor for details.

STANDARD AND OPTIONAL EQUIPMENT

■ Standard	- Not	available

Model	Drive system		2V	/D			4WD		
	Trim level / Gra	ade	BAT BAT BAT BAT BAT BAT BAT BAT						
	Transmission Engine Model code privetrain and hassis Drivetrain Super Select 4WD-II (SS4-II) Upgraded silence Suspensions and Differential Rear suspension (independent double wishbone, coil springs, stab and Differential Rear suspension (independent double wishbone, coil springs, stab and Differential Rear suspension (independent double wishbone, coil springs, stab and Differential Rear suspension (independent double wishbone, coil springs, stab and Differential Rear suspension (independent double wishbone, coil springs, stab and Differential Rear suspension (independent double wishbone, coil springs, stab and Differential Rear suspension (independent double wishbone, coil springs, stab and Differential Rear suspension (independent double wishbone, coil springs, stab and Differential Rear suspension (independent double wishbone, coil springs, stab and Differential Rear suspension (independent double wishbone, coil springs, stab springs with stabilizer with 18° alloy wheels Front and series 265/G0R18 tires with 18° alloy wheels Front every series 265/G0R18 tires with 18° alloy wheels Front every series 265/G0R18 tires with 18° alloy wheels Front every series 265/G0R18 tires with 18° alloy wheels Front versibled discs Cyboth Brakes Electric parking brake (Front in Brake Series With Electronic Brake-force Distribution Front versibled discs Cyboth Rear ventilated discs Cyboth Rear windshield glass Cyboth Rear windshield glass Cyboth Rear windshield glass Cyboth Rear windshield glass Cyboth Rear ventilated windshield glass Cyboth Rear ventilated ventilated and cyboth Rear ventilated ventilated ventilated ventilated ventilated ventilated ventilat		GLX	М	GLS	Н	Premium	DVD	Navi
			A8	/T					
	_		KDEWO	IN AN AL VAZ	6			1.147	
Drivetrain and		Sport mode (4-position + manual mode)	KRSWG			- K		LVV	
Chassis	Bilvettaili		_	_	_				
								mium Premium DVD Package A/T SUPMLW	
		Front suspension (independent double wishbone, coil springs, stabilizer bar)	GLX M GLS H Premium Pr						
	and Differentia			-	-	-		-	
	Time		-	-	_	•		•	•
				-	-	_	_	-	_
						_	_	_	_
		Spare: 265/60R18 tire with 18" alloy wheel <two tone=""></two>	_	_	_	•		•	•
	Brakes		•			-		-	
					_		- :	-	-
				_	_	- :	- :		
				_					
	Others								
		Shift lock with key interlock							
			-	_					
Exterior		Front (color-keyed, with chrome garnish) and rear (color-keyed) bumper				-		-	
				_		•			•
	Doors		-	•	_	-	-	_	-
				-	-	-		-	-
					-			-	
	Door Mirrors	Power door mirrors (chrome) with folding function				-	-	-	_
		Power door mirrors (chrome) with folding function and side turn lamp	_	_	_	-		-	
	Transmission Engine Model code Drivetrain Super Select 4WD-II (SS4-II) Upgraded silence Suspensions and Differential Rear suspension (independent double wishbone, coil springs, stabilizer tan and differential leas suspension (independent double wishbone, coil springs, stabilizer and Differential Rear suspension (independent double wishbone, coil springs, stabilizer tan and Differential Rear suspension (independent double wishbone, coil springs, stabilizer tan and Differential Rear suspension (independent double wishbone, coil springs, stabilizer tan and Differential Rear suspension (independent double wishbone, coil springs, stabilizer tan and Differential Rear suspension (independent double wishbone) Rear differential bock (without LSD) Tres and Front (capting brake) Brakes Electric parking brake Anti-lock Brake System (ABS) with Electronic Brake-force Distribution (El Brake overnice system Front vernitaled discs (2-pot) Rear vertilated discs (2-pot) Rear vertilated discs (2-pot) Rear vertilated discs (2-pot) Rear vertilated discs (2-pot) Grille Radiar grille (chrome) Doors Alford Front (color-keyed, with chrome gamish) and rear (color-keyed) bumper Grille Radiar grille (chrome) Doors Alford Front (color-keyed, with chrome gamish) and rear (color-keyed) bumper Grille Rear Anders and Front (color-keyed, with chrome gamish) and rear (color-keyed) bumper Grille Rear Anders and Front (color-keyed) with folding function Door Mirrors Doors Sarb blackout Door Mirrors Power door mirrors (chrome) with folding function and side turn lamp Laminated green windows. Front, rear doors and quarter Tempered green windows. Front, rear doors and quarter Temp			_		-		-	-
				_	_	-		-	
	Tires and Wheels Front and rear: 265/60R18 tires with Spare: 265/60R18 tire with 18" alloy Front and rear: 265/60R18 tire with 18" alloy Front and rear: 265/60R18 tire with 18" alloy Brakes Electric parking brake Anti-lock Brake System (ABS) with Earake override system Front ventilated discs (2-pot) Rear ventilated discs (2-pot) Rear ventilated discs (2-pot) Rear ventilated discs (2-pot) Shift lock with key interlock Tool and jack set Tool and jack set Front (color-keyed, with chrome gan Grille Radiator grille (chrome) Power windows (front and rear door (driver's side window: auto down fur Door Sash blackout Door Mirrors Power door mirrors (chrome) with for Power sond front passenger's SRS Driver's and front passenger's SRS Driver's and front passenger's SRS Driver's and front passenger's SRS SRS curtain airbags for 1st + 2nd + Seatbelts Pront row 3-point seatbelt with ELR Seatbelt pretensioner (driv Seatbelt double pretension 2nd row 3-point seatbelt with ELR 3rd row 3-point seatbelt with ELR 4					-		-	-
	Molding								
		· · · · · · · · · · · · · · · · · · ·				-			
			function function and side turn lamp oors and quarter ogger nudguard function) n hook n hook		-				
		Engine room undercover		-	-	-		-	
						-		-	-
			-		-	-		-	-
Safety and	Security		ince since (independent double wishbone, coll springs, stabilizer bar) is inic (independent double wishbone, coll springs, stabilizer bar) is inic (independent double wishbone, coll springs, stabilizer bar) is inic (independent double wishbone, coll springs with stabilizer bar) is inic (independent double with 18° alloy wheel with 18° alloy wh						
Security	Flear differential Lock (without LSD)								
	Suspensions Front suppresson (Independent double wishbone, ool springs, stabilizor bar) and Differential pear suspension (Chine coll springs with stabilizor bar) The and Front and Collection (Chine) and Stabilizor bar) The and Front and Collection (Chine) and Stabilizor bar) The and Front and Collection (Chine) and Stabilizor Barbon (Chine) Front and and Exc. 25500R18 lite with 16° alloy wheels "Ano lone" Spare 25500R18 lite with 16° alloy wheels "Ano lone" Spare 25500R18 lite with 16° alloy wheels Ano lone Stabilizor Barbon (Chine) Brakes Electic position parks Anti-look Brake System (ARS) with Electronic Brakes force Distribution (EBD) thick or spare and Stabilizor (Chine) Brakes Sta								
	Airbags	Indication of the internal int	-						
			-	-	-	_		-	•
			_	-	_	-			
	Transamono								
	Ceatbolto	Auto-	-	=	-				
			_	_	_	-			
			_						
	Others		-	-	-	-		-	
			-	-	_	-		-	
	Transmission Engine Model code And Drivetrain Sport mode (4-position + manual mode) Super Select 4WD-II (SS4-II) Upgraded silence Suspensions Front suspension (independent double wishbone, coil springs, stabilizer bar) and Differential Rear suspension (3-link coil springs with stabilizer bar) Rear differential lock (without LSD) Tires and Wheels Spare: 265/60R18 tires with 18" alloy wheel s-two tone> Spare: 265/60R18 tires with 18" alloy wheels Spare: 265/60R18 tires with 18" alloy wheels Spare: 265/60R18	. ,		_	_	_	- :		
						-	-	•	
		Active Stability and Traction Control (ASTC)							
			-	_	_	-		-	
			-	-	-	•	•	•	•
Intorior	Stooring and	, , , , , , , , , , , , , , , , , , ,	_						
Interior						-			
		- · · · · · · · · · · · · · · · · · · ·		_					
			-	-	-				
				-	-			-	-
		Stylish type shift knob for 8 A/T							

Note: Hazardous driving may cause serious injury or vehicle damage. Please drive safely at all times.

STANDARD AND OPTIONAL EQUIPMENT

Transmissor Figure	odel	Drive system			2W	/D			4WD		
Transmission But		Trim level / Gra	ide		GLX		GLS		Premium		
Engine						M		Н			Nav Packa
Monte costs					8A	/T					
Seeta		-			KDEWO	118.48.41.187	6			1.147	
Leather soat Protect verbinary alledge, getigle height and resisting function (onliver) Manual alledge and resisting function (passenger) Manual alledge and resisting function (passenger) Conventional Christop (onliver) Southack pocket (perce and passenger) So	terior		Material	High quality fabric seat (water repellent)				_ K	55WGUPIM	_	_
Material diship and mycling handon passes person Power stiding, state height and editing fluctions (elver) Conversione hote, (since and passes gain) 20 and my 6 As placed with full micro place and mycling Cartor ammont with my product Debug and mycling and mycling and mycling Cartor ammont with my product Debug and mycling and mycling and mycling Cartor ammont with my product Debug and mycling and mycling and mycling and mycling Cartor ammont with mycling function 30 are not headrost 3. When earthor's 2. When earthor's 2. 30 are 5 separate based with full right for florid and mycling function 30 are not headrost 40 a		Ccato	Material			_	_				
Pewer dutings (auth begins and reclaming function (enver) Conventioners basis (ferror and passergery) 2nd recommendation of the pewer of passergery) 2nd recommendation of the pewer of passergery 3nd recommendation of the pewer of passergery 3nd recommendation of the pewer of passergery 4nd recommendation of passergery 4nd			Front row	Manual sliding, single height and reclining function (driver)			-	_	_	-	_
Conversion to book (other and passenger) 3rd row 6rd spot south with intering and recovering 2rd with spot south with intering and recovering 3rd with spot spot and with intering and recovering 3rd with spot spot and an analysis of the spot spot spot spot spot spot spot spot						•		•	_	_	
Setablock, bosonic florine and passergery) 7 ordicate of a political and from harding and reclaning Centre arrivers with Cost DoUest 180-07-06. Crisis sequents and another x x 3 without another x 2 3rd row 5.5 separates seek-with folding function Outside floring floridon Outside floring floridon Outside floring floridon Outside seal floring floridon Outside floring floridon Outside seal reclaims Partial Outside floring floridon Outside floridon Out						_	_	- :		•	-
2nd yes 4- spill easter with function jar and recitiving Center names with a material part of center and another x 2 in the another x 3 in the ano									_		
3/10 row S.5 Separate seat with floring function 3/10 row seations 4/10 consider byte 3/10 row S.5 Separate seat with floring function 4/10 consider byte 3/10 row S.5 Separate seat row for seat seat seat seat seat seat seat seat			2nd row								
SS-FK on the restament asset anchor x 2, shelfer anchor x 2 Jet row X of Separate east with Uniting function Jod sole headrost Feed Separate east with Uniting function Jod sole headrost Feed Garrish and an outst galle (plets-painted) An outst two (chromo) Center panel (plan black) Control panel panel panel panel panel panel pane				Center armrest with cup holder		-	-	-	-		
Soft ow SS separate seat with bioling function 3 of low seekless Instrument Favor High crossed by the State of the State							-	-	-	•	
Instrument Figir controls type			3rd row		•	•	•	•		•	
Institutement High crossole type Garnish and air outlet grife (give-partied) Air outlet New Cyrisone) Air outlet New Cyrisone) Air outlet New Cyrisone Air outlet New Cyrisone High crossole (give-partied) Sestible tearing includes and buzzer Glovebox (who lyo) chi denor and large) Sestible tearing includes and buzzer Glovebox (who lyo) chi denor and large) Financial field in the session of the company of the com			310 TOW		_		- :	- 1	_		
Parel Gamsh and air cotted grife (selver-painted) Air cottet stock (chrome) Center paine (plane) block) Center paine (plane) block block) Center paine (plane) block block) Center paine (plane) block						_	_	_	_	_	_
Air outlet knob (convers) Center panel (dan's black) Center panel (dan's black) Center panel (dan's black) Center panel (dan's black) High constant where fuciler with converse garrish and edor LCD multi-information display Seatest warming incloser and buzzer Glovebox (on May box, dimper and lamo) Washer hud leve warming lamp Washer hud leve warming lamp Washer hud leve warming lamp High consider lyos with ammest (drift covered) High consider lyos with ammest (PC covered) Cup hoder for fort seat x 2 Accessory socials in floor conside box Considerant (planto black) Considerant (planto black) Considerant (planto black) Considerant (planto black) Accessory socials in floor conside box Considerant (planto black) Accessory socials in floor conside box Considerant (planto black) Accessory socials in floor conside box Considerant (planto black) Accessory socials in floor considerant (planto black) Accessory socials in floor considerant (planto black) Accessory socials in floor considerant (planto black) Accessory socials (planto black) Accessory so			_			-	-	-	-	•	•
Contex panel (gara-bown woodprint) High contrast meter outser with chrome garrish and color LCD multi-information display Govebox (refin key to body, damper and lamo) Washer Mad Review saming subcator on buzzer Glovebox (refin key to body, damper and lamo) Washer Mad Review saming subcator of the same subcator (PC covered) High contact hey with armset (dath covered) High contact hype with armset (dath covered) Correcte garant (garant black) Cor		Panei				•	-	•	_	_	
Center panel (danch-zonon woodprint) High contrast meter cluster with chrome gamish and color LCD multi-information display Seatbelt warning inclosor and buzzer Govebox (with key book, damper and lamp) Whether fluid levels warning lamp Floor Console High console hope with ammest (40th covered) Liph closer for fort seat 2 2 Accessory socket in floor console box 0 Console panel (fluid hebbox) Console panel (fluid hebbox) Console panel (fluid hebbox) Door Time Floor Game (fluid hebbox) Bottle hobser Accent panel (fluid hebbox) Locking Center door locking system and center door lock butten (Diver's seat) Locking Center door locking system and center door lock kintlin impact sensitive unlock mochanism) Keyless operation System (mile register) Roof Surroof Reformation for mochanism (fluid hebor on driver's side) Surroof Surroof Surroof Surroof Reformation for mochanism (fluid hebor on driver's side) Surroof Sur							-:-	-	-	-	
High contrast meter duster with chrome garrant and color LCD multi-information display Seabtive warning indicates and buzzer Cliovebox (with key lock, damper and famp) Wather find devel warning read famp) Cognetile lighter Floor Cortisols Floor Floor Cortisols Floor Floor Cortisols Floor Floor Floor Floor Cortisols Floor F					_	-	_				
Glovebox (with key lock, damper and lamp) Washer find level warming lamp Cigaretic lighter Floor Console high console byte with armeets (fold covered) High console byte with armeets (fold covered) Light console byte with armeets (fold covered) Cup holder for front set at 2 Accessory socket in floor console box Console panel (garant Basic) Console panel (garant Basic) Console panel (garant Basic) Formed type with Plov insert Accent panel (garth basic)									•		
Washer fluid kevel warming lamp Cigarete ligither Floor Console High console by eventh armerest [PVC covered] High console by eventh armerest [PVC covered] Cigaroted by eventh armerest [PVC covered] Covered part of covered by eventh armerest [PVC covered] Covered part of covered by eventh armerest [PVC covered] Covered part of covered by eventh armerest [PVC covered] Covered part of covered by eventh armerest [PVC covered] Covered part of covered by eventh armerest [PVC covered] Covered part of covered by eventh average covered by eve				-		-	-	•	•	•	•
Floor Console High console type with armeted (cloth covered) High console type with armeted (cloth covered) Cup holder for first set at 2 Accessory socket in floor console box Console panel (plant black) Console panel pane				•		-	-		-		
Floor Console High console type with ammed (PVC covered)					_	•	-:-		_	_	
Cup holder for front seat x 2 Accessory socket in flor or console box Console panel (glarb-brown woodprint) Door Trims Formed type with both insert Formed type with both insert Formed type with both insert Formed type with pot insert Bottle holder Accent panel (glarb-brown woodprint) Doors Inner door handles (claron) Inner door handles		Floor Console	-				-	_	_	_	_
Accessory socket in floor console box Console panel (clark-brown woodprint) Door Trims Formed type with other hissert Formed type with other hissert Botte holder Accent panel (planto black) Accent p			High cons	sole type with armrest (PVC covered)	-	-	_		-		
Console panel (dink-Down woodprint)						-	-	-	_		
Console panel (dark-brown woodprint)						•	-	•	-	•	
Door Trims Formed type with Cyt insert Formed type with Cyt insert Bottle holder Accent panel (plano black) Accent panel panel (plano black) Accent panel (plano black) Accent panel (p					-	-	-				
Bottle holder Accent panel (clanc-black) Accent		Door Trims						-	-	-	-
Accent panel (plane black) Accent panel (plane black haven woodprint) Doors Inner door handles (chrome) Locking Center door locking system and center door lock button (Driver's seat) System Child proof Verbie-speed sensitive automatic door lock (with impact sensitive unlock mechanism) Keyless entry system with 2 transmitters Keyless operation System (with engine start switch) Roof Surroof Surroof Surglasses pocket Headining formed type (kint) Survivsor (vanity mirror with lid, ticket holder on driver's side) Retractable assist gray x 5 (front, 2nd, 3rd rows) and coat hook (2nd row) x 2 Retractable assist gray x 3 (front, 2nd, 3rd rows) and coat hook (2nd row) x 2 Retractable assist gray x 3 (front, 2nd, 3rd rows) and coat hook (2nd row) x 2 Roof Cargo room hook x 2 Cargo floor box Pull automatic air conditioner Roar Cooler Audio System Wide 2-Din NaMFM and CD player Wide 2-Din NaMFM PulV display audio (AMFM and CD) Wide 2-Din NaMFM PulV display audio (MMFM and CD) Wide 2-Din NaMFM PulV display audio (MMFM and CD) Roof antenna Speakers and 6 speakers (2 weeters) Antenna Roof antenna Speakers and 8 speakers (2 weeters) Antenna Roof antenna Speakers and 8 speakers (2 weeters) Antenna Roof antenna Speakers and 8 speakers (2 weeters) Antenna Roof antenna Speakers and 8 speakers (2 weeters) Antenna Roof antenna Speakers and 8 speakers (2 weeters) Antenna Roof antenna Speakers and 8 speakers (2 weeters) Antenna Roof antenna Speakers and 8 speakers (2 weeters) Antenna Roof antenna Speakers and 8 speakers (2 weeters) Antenna Roof antenna Speakers and 8 speakers (2 weeters) Antenna Roof antenna Speakers and 8 speakers (2 weeters) Antenna Roof antenna Speakers and 8 speakers (2 weeters) Antenna Roof antenna Speakers and 8 speakers (2 weeters) Antenna Roof antenna Speakers and 8 speakers (2 weeters) Antenna Roof antenna Speakers and 8 speakers (2 weeters) Antenna Roof antenna Speakers and 8 speakers (2 weeters) Antenna Roof antenna Speakers and 8 speakers (2 weete					-	-	_		-		
Accent panel (dark-thrown woodprint) Doors Inner door handles (chrome) Locking Center door locking system and center door lock button (Driver's seat) System Child proof Vehicle-speed sensitive automatic door lock (with impact sensitive unlock mechanism) Keyless Operation System (with engine start switch) Roof Surroof						•	-	•		•	_
Doors Inner door handles (chrome) Locking Certer door locking system and center door lock button (Driver's seat) System Child proof Vehicle-speed sensitive automatic door lock (with impact sensitive unlock mechanism) Keyless entry system with 2 transmitters Keyless operation System (with engine start switch) Roof Sunroof Retractable assist grip x 5 (front, 2nd, 3nd rows) and coat hook (2nd row) x 2 Retractable assist grip x 5 (front, 2nd, 3nd rows) and coat hook (2nd row) x 2 Retractable assist grip x 5 (front, 2nd, 3nd rows) and coat hook (2nd row) x 2 Rour actable assist grip x 5 (front, 2nd, 3nd rows) and coat hook (2nd row) x 2 Rour actable assist grip x 5 (front, 2nd, 3nd rows) and coat hook (2nd row) x 2 Rour actable assist grip x 5 (front, 2nd, 3nd rows) and coat hook (2nd row) x 2 Rour actable assist grip x 5 (front, 2nd, 3nd rows) and coat hook (2nd row) x 2 Rour actable assist grip x 5 (front, 2nd, 3nd rows) and coat hook (2nd row) x 2 Rour actable assist grip x 5 (front, 2nd, 3nd rows) and coat hook (2nd row) x 2 Rour actable assist grip x 5 (front, 2nd, 3nd rows) and coat hook (2nd row) x 2 Rour actable assist grip x 5 (front, 2nd, 3nd rows) and coat hook (2nd row) x 2 Rour actable assist grip x 5 (front, 2nd, 3nd rows) and coat hook (2nd row) x 2 Rour actable assist grip x 5 (front, 2nd, 3nd rows) and coat hook (2nd row) x 2 Rour actable assist grip x 5 (front, 2nd, 3nd rows) and coat hook (2nd row) x 2 Rour actable assist grip x 5 (front, 2nd, 3nd rows) and coat hook (2nd row) x 2 Rour actable assist grip x 5 (front, 2nd, 3nd rows) and coat hook (2nd row) x 2 Rour actable assist grip x 5 (front, 2nd, 3nd rows) and coat hook (2nd row) x 2 Rour actable assist grip x 5 (front, 2nd, 3nd rows) and coat hook (2nd row) x 2 Rour actable assist grip x 5 (front, 2nd, 3nd rows) and coat hook (2nd row) x 2 Rour actable actable assist grip x 5 (front, 2nd, 3nd rows) and coat hook (2nd row) x 2 Rour actable actable actable actable actable a						-	-	-	-	-	
System Child proof Vehicle-speet de sneithre automatic door lock (with impact sensitive unlock mechanism) Keyless entry system with 2 transmitters Keyless Operation System (with engine start switch) Roof Surricord Sundissess pocket Headining formed type (knit) Survisor (vanity mirror with ful, ticket holder on driver's side) Retractable assist gin x 5 (front, 2nd, 3rd rows) and coat hook (2nd row) x 2 Retractable assist gin x 5 (front, 2nd, 3rd rows) and coat hook (2nd row) x 2 Retractable assist gin x 5 (front, 2nd, 3rd rows) and coat hook (2nd row) x 2 Retractable assist gin x 5 (front, 2nd, 3rd rows) and coat hook (2nd row) x 2 Retractable assist gin x 5 (front, 2nd, 3rd rows) and coat hook (2nd row) x 2 Retractable assist gin x 5 (front, 2nd, 3rd rows) and coat hook (2nd row) x 2 Retractable assist gin x 5 (front, 2nd, 3rd rows) and coat hook (2nd row) x 2 Retractable assist gin x 5 (front, 2nd, 3rd rows) and coat hook (2nd row) x 2 Retractable assist gin x 5 (front, 2nd, 3rd rows) and coat hook (2nd row) x 2 Retractable assist gin x 5 (front, 2nd, 3rd rows) and coat hook (2nd row) x 2 Retractable assist gin x 5 (front, 2nd, 3rd rows) and coat hook (2nd row) x 2 Retractable assist gin x 5 (front, 2nd, 3rd rows) and coat hook (2nd row) x 2 Retractable assist gin x 5 (front, 2nd, 3rd rows) and coat hook (2nd row) x 2 Retractable assist gin x 5 (front, 2nd, 3rd rows) and coat hook (2nd row) x 2 Retractable assist gin x 5 (front, 2nd, 3rd rows) and coat hook (2nd row) x 2 Retractable assist gin x 5 (front, 2nd, 3rd rows) and coat hook (2nd row) x 2 Retractable assist gin x 5 (front, 2nd, 3rd rows) and coat hook (2nd row) x 2 Retractable assist gin x 5 (front, 2nd, 3rd rows) and coat hook (2nd row) x 2 Retractable assist gin x 5 (front, 2nd, 3rd rows) and coat hook (2nd row) x 2 Retractable assist gin x 5 (front, 2nd, 3rd rows) and coat hook (2nd row) x 2 Retractable assist gin x 5 (front, 2nd, 3rd rows) and coat hook (2nd row) x 2 Retractable assist gin x 5 (front, 2nd, 3rd rows) and coat hook (2nd row) x 2 Re		Doors						- 1		_	
Vehicle-speed sensitive automatic door lock (with impact sensitive unlock mechanism) Keyless entry system with 2 transmitters Roof Sunroof Sunroof Sunglasses pocket Headlining formed type (knit) Sunvisor (vanity mirror with ild, licket holder on driver's side) Retractable assist grip x 6 (front, 2nd, 3rd rows) and coat hook (2nd row) x 2 Retractable assist grip x 3 (front, 2nd, 3rd rows) and coat hook (2nd row) x 2 Retractable assist grip x 3 (front, 2nd, 3rd rows) and coat hook (2nd row) x 2 Retractable assist grip x 3 (front, 2nd rows) and coat hook (2nd row) x 2 Retractable assist grip x 3 (front, 2nd rows) and coat hook (2nd row) x 2 Retractable assist grip x 3 (front, 2nd rows) and coat hook (2nd row) x 2 Retractable assist grip x 3 (front, 2nd rows) and coat hook (2nd row) x 2 Retractable assist grip x 3 (front, 2nd rows) and coat hook (2nd row) x 2 Retractable assist grip x 3 (front, 2nd rows) and coat hook (2nd row) x 2 Retractable assist grip x 3 (front, 2nd rows) and coat hook (2nd row) x 2 Retractable assist grip x 3 (front, 2nd rows) and coat hook (2nd row) x 2 Retractable assist grip x 3 (front, 2nd rows) and coat hook (2nd row) x 2 Retractable assist grip x 3 (front, 2nd rows) and coat hook (2nd row) x 2 Retractable assist grip x 3 (front, 2nd rows) and coat hook (2nd row) x 2 Retractable assist grip x 3 (front, 2nd rows) and coat hook (2nd row) x 2 Retractable assist grip x 3 (front, 2nd rows) and coat hook (2nd row) x 2 Retractable assist grip x 3 (front, 2nd rows) and coat hook (2nd row) x 2 Retractable assist grip x 3 (front, 2nd rows) and coat hook (2nd row) x 2 Retractable assist grip x 3 (front, 2nd rows) and coat hook (2nd row) x 2 Retractable assist grip x 3 (front, 2nd, 3nd rows) and coat hook (2nd row) x 2 Retractable assist grip x 4 (front, 2nd, 2nd rows) and coat hook (2nd row) x 2 Retractable assist grip x 4 (front, 2nd rows) and coat hook (2nd row) x 2 Retractable assist grip x 4 (front, 2nd rows) and coat hook (2nd row) x 2 Retractable assist grip x 4 (front, 2nd rows) and coat h					-		-				
Reyless entry system with 2 transmitters		System				•	-	•		•	
Reviews Operation System (with engine start switch)							-	- :	-	•	
Roof Surroof								- 1			
Headlining formed type (knit) Sunvisor (vanity miror with lid, ticket holder on driver's side) Retractable assist grip x 5 (front, 2nd, 3rd rows) and coat hook (2nd row) x 2		Roof		, p. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.	_	_	_	_			
Sunvisor (vanity mirror with lid, licket holder on driver's side) Retractable assist grip x 5 (front, 2nd, 3rd rows) and coat hook (2nd row) x 2				es pocket			-		_	_	-
Retractable assist grip x 5 (front, 2nd, 3rd rows) and coat hook (2nd row) x 2				*		-	-	-		•	
Retractable assist grip x 6 (front, 2nd, 3rd rows) and coat hook (2nd row) x 2					-	•		•	-		
Retractable assist grip x 3 (front, 2nd rows) and coat hook (2nd row) x 2					_	-	-	-			
Cargo room hook x 2				- · · · · · · · · · · · · · · · · · · ·	-	_	_	_	_	_	_
Cargo room hook x 4		Others		· ·	-	-	_	-	-		
Cargo floor box			-		_	•	-	•	-	•	
Air Conditioning Air Conditioning Conditi			-			-	-	-	-	-	
Rear cooler Audio System Wide 2-DIN AM/FM and CD player Wide 2-DIN AM/FM DVD display audio (AM/FM and CD) Wide 2-DIN Navigation system (Mitsubishi Multi Communication System [MMCS]) Multi-Around Monitor Rear view camera USB port Speakers and 6 speakers (2 tweeters) Antenna Roof antenna Glass antenna Glass antenna Battery Battery Battery Both Palogen headlamps LED headlamps with auto leveling device and LED daytime running lamps LED rear combination lamps Daytime running lamp on bumper Front foglamps LED high-mount stop lamp on tailigate Interior Lamps Room lamp with map lamp and rear room lamp x 2 Front and Rear door courtesy lamps Cargo room lamps Cargo room lamps Cargo room lamps	r Conditioning	Air	_				_	=	_		_
Audio System Wide 2-DIN AM/FM and CD player Wide 2-DIN touch-panel display audio (AM/FM and CD) Wide 2-DIN NAM/FM DVD display audio with HDMI / USB port Wide 2-DIN Navigation system (Mitsubishi Multi Communication System [MMCS]) Multi-Around Monitor Rear view camera USB port Speakers and 6 speakers (2 tweeters) Antenna Roof antenna Glass antenna Battery 80D26L Exterior Lamps Halogen headlamps LED headlamps with auto levelling device and LED daytime running lamps LED rear combination lamps Daytime running lamp on bumper Front foglamps LED high-mount stop lamp on tailgate Interior Lamps Room lamp with map lamp and rear room lamp x 2 Front and Rear door courtesy lamps Cargo room lamps Cargo room lamps		Conditioning			-	-	-				
Wide 2-DIN touch-panel display audio (AM/FM and CD)					-						
Wide 2-DIN AM/FM DVD display audio with HDMI / USB port Wide 2-DIN Navigation system (Mitsubishi Multi Communication System [MMCS]) Multi-Around Monitor		Audio System			-	-	-				-
Wide 2-DIN Navigation system (Mitsubishi Multi Communication System [MMCS]) Multi-Around Monitor Rear view camera USB port Speakers and 6 speakers (2 tweeters) Antenna Roof antenna Glass antenna Glass antenna Battery BOD26L Exterior Lamps LED headlamps with auto leveling device and LED daytime running lamps LED rear combination lamps Daytime running lamp on bumper Front foglamps LED high-mount stop lamp on tailgate Interior Lamps Room lamp with map lamp and rear room lamp x 2 Front and Rear door courtesy lamps Cargo room lamps				. , ,	_		_				
(Mitsubishi Multi Communication System [MMCS]) Multi-Around Monitor Rear view camera USB port Speakers and 6 speakers (2 tweeters) Antenna Roof antenna Glass antenna Glass antenna Exterior Lamps Halogen headlamps LED headlamps with auto leveling device and LED daytime running lamps LED rear combination lamps Daytime running lamp on bumper Front foglamps LED high-mount stop lamp and rear room lamp x 2 Front and Rear door courtesy lamps Cargo room lamps Cargo room lamps			Wide 2-D	IN Navigation system	_	_	_	_	_	_	
Rear view camera USB port Speakers and 6 speakers (2 tweeters) Antenna Roof antenna Glass antenna Glass antenna Exterior Lamps Halogen headlamps LED headlamps with auto leveling device and LED daytime running lamps Daytime running lamp on bumper Front foglamps LED high-mount stop lamp on tailgate Interior Lamps Room lamp with map lamp and rear room lamp x 2 Front and Rear door courtesy lamps Cargo room lamps Cargo room lamps											
USB port Speakers and 6 speakers (2 tweeters) Antenna Roof antenna Glass antenna Glass antenna Exterior Lamps Halogen headlamps LED headlamps with auto leveling device and LED daytime running lamps LED rear combination lamps Daytime running lamp on bumper Front foglamps LED high-mount stop lamp on tailgate Interior Lamps Room lamp with map lamp and rear room lamp x 2 Front and Rear door courtesy lamps Cargo room lamps Cargo room lamps					_	_	_			_	
Antenna Roof antenna Glass							-			•	
Glass antenna Glass antenna Exterior Lamps Halogen headlamps LED headlamps with auto leveling device and LED daytime running lamps LED rear combination lamps Daytime running lamp on bumper Front foglamps LED high-mount stop lamp on tailgate Interior Lamps Room lamp with map lamp and rear room lamp x 2 Front and Rear door courtesy lamps Cargo room lamps			6 speake	rs (2 tweeters)	-		-		-	•	
Battery 80D26L Exterior Lamps Halogen headlamps LED headlamps with auto leveling device and LED daytime running lamps LED rear combination lamps Daytime running lamp on bumper Front foglamps LED high-mount stop lamp on tailgate Interior Lamps Room lamp with map lamp and rear room lamp x 2 Front and Rear door courtesy lamps Cargo room lamps		Antenna			-	-	-	-			-
Exterior Lamps Halogen headlamps LED headlamps with auto leveling device and LED daytime running lamps LED rear combination lamps Daytime running lamp on bumper Front foglamps LED high-mount stop lamp on tailgate Interior Lamps Room lamp with map lamp and rear room lamp x 2 Front and Rear door courtesy lamps Cargo room lamps	actrical	Ratten		enna	_	-	_			_	
LED headlamps with auto leveling device and LED daytime running lamps LED rear combination lamps Daytime running lamp on bumper Front foglamps LED high-mount stop lamp on tailgate Interior Lamps Room lamp with map lamp and rear room lamp x 2 Front and Rear door courtesy lamps Cargo room lamps	ecuical			neadlamps		_	_	-	-		
LED rear combination lamps Daytime running lamp on bumper Front foglamps LED high-mount stop lamp on tailgate Interior Lamps Room lamp with map lamp and rear room lamp x 2 Front and Rear door courtesy lamps Cargo room lamps			LED head	dlamps with auto leveling device and LED daytime running lamps		_	_		_		
Front foglamps LED high-mount stop lamp on tailgate Interior Lamps Room lamp with map lamp and rear room lamp x 2 Front and Rear door courtesy lamps Cargo room lamps			LED rear	combination lamps	_	_	_	•	•		
LED high-mount stop lamp on tailgate Interior Lamps Room lamp with map lamp and rear room lamp x 2 Front and Rear door courtesy lamps Cargo room lamps				· · · · · · · · · · · · · · · · · · ·				-	-		
Interior Lamps Room lamp with map lamp and rear room lamp x 2 Front and Rear door courtesy lamps Cargo room lamps			-	•						_	
Front and Rear door courtesy lamps Cargo room lamps		Interior Lamps	_					•			
· ·			Front and	Rear door courtesy lamps	-	-	-		-		
			-	•		•	-		•	•	

Note: Equipment may vary by market. Please consult your local Mitsubishi Motors dealer/distributor for details.