



DIMENSIONAL VIEWS

5-SEATER



7-SEATER



Note: Roof rails (silver) are optional.

All measurements in millimeters.



OUTLANDER



www.facebook.com/MitsubishiMotors.en



www.instagram.com/mitsubishimotorsofficial



www.youtube.com/user/MitsubishiMotorsAd

 **MITSUBISHI MOTORS**
www.mitsubishi-motors.com

©2017–2018 MITSUBISHI MOTORS CORPORATION. All rights reserved.
Gc/E38C99Aug.17EG Printed in Japan

www.new-outlander.com



4WD GLS with optional equipment / Titanium Gray Metallic [U17]

DARE TO BATTLE THE ROUGH

From urban streets to the far reaches of off-road adventures, conditions can be impossible to predict. Be ready to engage whatever comes. In any weather, electronically controlled 4WD enables you to take full advantage of the OUTLANDER's substantial engine power. And advanced safety technology forms comprehensive frontline, side and backline defense that makes rough conditions a pleasure to conquer.

Note: Equipment may vary by market. Please consult your local Mitsubishi Motors dealer/distributor for details.



Left: 4WD GLS with optional equipment / Quartz Brown Metallic [C06]
Right: 4WD GLS with optional equipment / White Pearl [W13]

DYNAMIC STYLING

Powerful and dynamic looks boldly proclaim incomparable refinement, robustness and road performance. From assertive face to attractive tail, the OUTLANDER expresses the promise of unparalleled SUV driving pleasure.

REFRESHING SILENCE AND QUALITY

Driving the OUTLANDER is a pleasurable experience heightened by quick, responsive handling and high-quality craftsmanship. The ride is also extremely quiet thanks to comprehensive NVH reduction measures that lower engine, road and wind noise. From generous cabin space and comfortable seating to quality materials and refined amenities, every detail contributes to your traveling joy.




4WD GLS with optional equipment / Beige leather interior



SEATING ARRANGEMENT

It's easy to flexibly arrange the second and third-row seats to carry almost any combination of passengers and luggage. You can even fold down all rear seatbacks to create an extremely large and flat luggage area.



A second-row seat sliding function provides easy access to the third-row seats.



COMFORTABLE THIRD ROW SEATS

Padding and springs in the third-row seat cushions contribute to riding comfort. You can recline the seatbacks to any of four settings.



4WD GLS with optional equipment / Beige leather interior



4WD GLS with optional equipment / Orient Red Metallic [P26]


SPIRITED PERFORMANCE

The OUTLANDER delivers the high performance you demand of a rugged SUV, including powerful acceleration and responsive roadhandling. Wherever you travel, you'll enjoy next-generation SUV advantages while also minimizing environmental impact through high fuel efficiency and low CO₂ emissions.

ENGINES


Power the OUTLANDER with your choice of two clean and efficient engines — the 2.4-liter MIVEC* or 3.0-liter V6 MIVEC. The 2.4-liter engine is extremely responsive and fuel efficient, while the high-displacement V6 engine supplies supremely powerful acceleration even when carrying heavy loads or traveling up mountainsides.

* MIVEC (Mitsubishi Innovative Valve timing Electronic Control system)



INVECS-III CVT

The engine is mated with an advanced CVT that automatically adjusts in response to changing road and vehicle conditions to deliver smooth, swift acceleration whenever you demand it, as well as outstanding fuel efficiency beyond what conventional automatic transmissions provide. Fully pressing the pedal now generates powerful response with the automatic transmission's step-up shift like exhilaration and reduced engine noise. For manual-like driving pleasure, you can also take advantage of the 6-speed Sports Mode and paddle shifters.



ABS WITH EBD


The OUTLANDER's ABS gives you the ability to suddenly maneuver safely around obstacles as you slow down. EBD (Electronic Brake-force Distribution) assists by applying additional force to the rear brakes as needed, enabling quicker stops even when carrying passengers and heavy loads.

Note:
ABS can help a driver prevent unsafe situations while braking, but is never a substitute for safe driving. ABS does not always reduce stopping distances. Stopping distance can be influenced by many factors including road surface conditions and friction between the tires and the road surface.



PADDLE SHIFT

Sporty paddle shifters let you smoothly and electronically shift gears without removing your hand from the steering wheel.



ACTIVE STABILITY CONTROL (ASC)

If wheels lose their grip on slippery surfaces or while turning, ASC automatically adjusts engine output and applies braking force at the appropriate wheels to help maintain control and prevent skidding.

Note:
The control capabilities of ASC are supplemental only. Please drive safely and never rely solely on these functions while driving. Be sure to use the same specified type and size of tires on all 4 wheels. Do not install any aftermarket limited slip differential on your vehicle. Please see the owner's manual for additional information.



CRUISE CONTROL

Vehicle speed is automatically maintained without keeping your foot on the accelerator pedal, allowing more relaxed driving on extended journeys. Pressing the brake pedal disengages the system.

Note: Equipment may vary by market. Please consult your local Mitsubishi Motors dealer/distributor for details.

REASSURING ALL AROUND SAFETY

Advanced safety technology supports safer, more confident driving — on the road and in parking lots, day and night. From intelligent sensors that track your surroundings and warn you of danger to active driving assistance and solid passive protection, the OUTLANDER delivers all around high levels of safety.



4WD GLS with optional equipment / Sterling Silver Metallic [U25]

Note: Equipment may vary by market. Please consult your local Mitsubishi Motors dealer/distributor for details.

INTELLIGENT FEATURES SUPPORT SAFER DRIVING

FORWARD COLLISION MITIGATION SYSTEM (FCM)

Helps prevent a frontal collision or reduce damage if the collision becomes unavoidable. Responds to vehicles and pedestrians via camera and laser radar.



Danger of collision



Warning + braking assistance

High danger of collision



Warning + auto braking

Extremely high danger of collision



Warning + strong auto braking

ADAPTIVE CRUISE CONTROL SYSTEM (ACC)

Maintains a selected distance between your vehicle and the car ahead via radar for greater safety and peace of mind. It reduces driver stress especially during traffic jams on highways.




ACC indication on multi-information display

No vehicle in front



Your selected speed is maintained even if you remove your foot from the accelerator pedal.

Vehicle in front



Your selected distance between vehicles is maintained.

Vehicle in front (slowing/stopping)



When the vehicle in front slows or stops, ACC slows or stops your vehicle.

Note:

The detection and control capabilities of FCM and ACC are supplemental only. Please drive safely and never rely solely on these functions while driving.


FCM and ACC may not be activated in some situations. Please read the owner's manual carefully and be aware of these limitations.

FCM and ACC operate when a vehicle is in front of your vehicle. FCM is also designed to detect pedestrians, but may not detect them or be activated in some situations. Auto braking is activated for a car ahead when your vehicle is traveling at a speed of approx. 5km/h to 80km/h and for a pedestrian ahead at approx. 5km/h to 65km/h. Since FCM has no function to maintain braking, the brake is released approximately 2 seconds after stopping. To prevent the vehicle from rolling thereafter, the driver may have to hold the brake pedal down. In some cases, FCM may not function if the driver takes actions for accident avoidance through steering or acceleration operation.

ACC may not correctly detect the actual situation depending on the type of vehicle in front and its conditions, the weather conditions, and the road conditions. Additionally, the system may be unable to decelerate sufficiently if the vehicle in front applies the brakes suddenly or another vehicle cuts into your path, so your vehicle approaches the front vehicle. If you have any questions, please consult your local Mitsubishi Motors dealer/distributor for details.

BLIND SPOT WARNING (BSW)

This safety feature uses radar sensors in the rear bumper to detect vehicles in your rear blind spots, on the right and left sides. An indicator appears in the door mirror when BSW is active and the turn signals are off. When a vehicle is detected while the turn signal is on, an indicator blinks in the corresponding door mirror and a buzzer sounds.



Note:


The detection and control capabilities of Blind Spot Warning (BSW) are supplemental only and do not warn you of vehicles in blind spots in every situation. Please do not rely solely on this system while driving.

Blind Spot Warning may not operate normally in some cases, depending on traffic, weather, road surface conditions and the presence of obstructions. Drivers are fully responsible for their own safe driving. The radar wave graphics are used for illustrative purposes only and do not represent the actual sensor application. Please see the owner's manual for additional information.


AUTOMATIC HIGH-BEAM

To increase safety, comfort and driving ease at night, the high beams automatically switch to low beams when vehicles are detected ahead and automatically switch back to high beams so you don't have to remove your hand from the steering wheel to switch the beams manually.

High-beam



Low-beam






SAFETY ADVANCES SUPPORT CONFIDENT PARKING

MULTI AROUND MONITOR

The views from cameras mounted on the front, rear and sides of the vehicle (including a bird's-eye view) can be displayed in various combinations to reveal what is in blind spots and help you park more safely.



Rear view + Bird's-eye view



REAR CROSS TRAFFIC ALERT (RCTA)

An indicator appears in the combination meter display when RCTA is active. If radar sensors in the rear bumper detect an approaching vehicle nearby while reverse gear is engaged, a warning message appears in the multi-information display, a buzzer sounds and an indicator blinks in both door mirrors.

Note: Do not rely solely on this system, which may not detect all moving vehicles in certain conditions. Drivers are fully responsible for their own safe driving. The radar wave graphics are for illustrative purposes only and do not represent the actual sensor application. Please see the owner's manual for additional information.



ULTRASONIC MISACCELERATION MITIGATION SYSTEM (UMS)

To help prevent collisions while parking, a buzzer sounds and a warning displays if front or rear sensors detect a nearby obstacle. Engine output is also controlled if you suddenly accelerate by accident.



Engine output control activates:

- When driving at very low speeds (not in N or P position)
- When obstacle/vehicle is within a short distance
- When accelerator pedal is pushed hard or abruptly
- When driver is not turning to avoid obstacle/vehicle

Note: The detection and control capabilities of Ultrasonic misacceleration Mitigation System (UMS) are supplemental only and do not prevent misacceleration in every situation. Please drive safely and do not rely solely on this system while driving. To prevent the engine output control provided by UMS from causing an impediment during normal driving in rough-road driving conditions, the system automatically de-activates and indicates UMS OFF in the meter cluster when the FCM function is OFF or the ASC function is OFF. No function completely stops the vehicle via the automatic braking. The vehicle may creep forward or backward even when engine output is regulated. The sensing system may not work for netlike and sharp-edged obstructions that do not sufficiently reflect ultrasonic sound. UMS does not include a function which keeps the vehicle stationary. The driver is responsible for stopping the vehicle by pressing the brake pedal as required by the driving conditions. The ultrasonic sensor wave graphics are for illustrative purposes only and do not represent the actual sensor application. Please see the owner's manual for additional information.

Note: Equipment may vary by market. Please consult your local Mitsubishi Motors dealer/distributor for details.

SOLID SAFETY MEASURES

RISE BODY

Collision safety performance is significantly enhanced by Mitsubishi Motors' RISE (Reinforced Impact Safety Evolution) body, which efficiently absorbs energy and maintains high cabin integrity in the event of a collision.




Image of airbag deployment

7 SRS AIRBAGS

Front airbags, side airbags, curtain airbags and a driver's knee airbag help protect you and your passengers in the event of a collision.

Note: Airbags are part of a Supplemental Restraint System (SRS). To decrease the risk of injury from a deploying airbag, always wear your seat belt, sit upright in the middle of the seat and do not lean against the door. Always place children 12 and under in the rear seat and use appropriate child restraints. Never place a rear-facing infant restraint in the front seat. Please see the owner's manual and the instructions provided with your child restraint for additional information.



AUTO DIMMING REAR VIEW MIRROR

This mirror automatically reduces glare from the headlights of cars behind you to maintain a clear rear view and support safer driving.

HILL START ASSIST (HSA)


When starting on a steep slope, HSA helps prevent you from rolling backwards while you release the brake by maintaining the braking force for up to two seconds until the accelerator is applied.

Note: Hill Start Assist (HSA) is not a substitute for safe driving. Never rely solely on this function while driving on steep roads. Your vehicle may move backwards if the brake pedal is heavily loaded, or if the road is very steep or slippery. This function is not designed to keep the vehicle stopped in place on uphill slopes for more than 2 seconds. Do not rely on this function to maintain a stopped position as an alternative to depressing the brake pedal. Please see the owner's manual for additional information.

Without Hill Start Assist



With Hill Start Assist




FEATURE HIGHLIGHTS

MITSUBISHI MULTI COMMUNICATION SYSTEM (MMCS)

The multifunctional navigation system clearly displays navigation and music functions on a big touch panel display with easy-to-use interface. Images from the rear-view camera can also be displayed to enhance driving safety.



EASY-TO-SELECT MENU




3D CITY (PALM JUMEIRAH)



3D LANDMARK (GRAND MOSQUE)



MOTORWAY MODE



ROCKFORD FOSGATE® PREMIUM SOUND SYSTEM

Savor the stunning sound quality of a new audio system jointly developed with the Rockford Corporation. Nine speakers surround you with spectacular DTS Neural Surround™ sound.

Note: Rockford Fosgate® and associated logos are registered trademarks of Rockford Corporation in the United States and other countries. DTS Neural Surround™ is a trademark of DTS, Inc.

AM/FM RADIO, CD/MP3 PLAYER

A quality tuner/CD player and USB port on the floor console enable easy connection with a digital audio player for charging or listening pleasure.



USB PORT & 12V POWER OUTLETS

These amenities are conveniently located within the center floor console, allowing easy access once you open the lid.



COLOR LCD MULTI-INFORMATION DISPLAY

The large, 4.2-inch liquid crystal multi-information display in the center of the meter panel is extremely easy to read. It keeps you clearly informed of various useful information on vehicle status, your trip, external temperatures, the ECO drive assist system and more.



KEYLESS OPERATION SYSTEM (KOS)

While carrying the key, you can press a button on the outside of either front door or the tailgate to lock or unlock all the doors and tailgate, or press the engine switch in the cockpit to start the engine.

FEATURE HIGHLIGHTS



ANTI-TRAPPING ELECTRIC SUNROOF



ELECTRIC TAILGATE

The tailgate can be opened and closed automatically from a switch located near the driver's seat.



TONNEAU COVER

The cover protects your rear luggage from the sun and prying eyes.



LED HEADLAMPS



LED FRONT FOG LAMPS



RAIN SENSOR



LED FOOT LAMPS

The foot lamps for the driver and passenger operate while the door is open.



DUAL-ZONE AUTOMATIC CLIMATE CONTROL AIR CONDITIONER



18-INCH ALLOY WHEEL



16-INCH ALLOY WHEEL



16-INCH STEEL WHEEL WITH FULL WHEEL COVER



SHARK FIN ANTENNA

EQUIPMENT LEVEL

GLX

4WD 2.4L

5-SEATER



7-SEATER



Key features (5-seater and 7-seater model)

- 215/70R16 + 16" with full wheel covers
- Front skid plate (silver)
- Rear skid plate (silver)
- Radiator grille (chrome, silver)
- Outer door handles (color-keyed)
- Power windows (front and rear doors, driver auto up and down)
- Color-keyed door mirrors and side turn lamps, electronically controlled with defoggers and folding function
- Door garnish (material color, silver)
- Wheel arch garnish
- Immobilizer
- Driver's and front passenger's SRS front airbags
- Front 3-point ELR seatbelt with force-limiter and pretensioner (single pretensioner)
- Active Stability Control (ASC), Hill Start Assist (HSA), Brake Assist
- Tire Pressure Monitoring System (TPMS)
- Electric power steering
- Tilt and telescopic-adjustable steering column
- Urethane steering wheel (with silver accent) and shift knob
- ISO-FIX child restraint seat anchor x 2
- Inner door handles (material color)
- Keyless entry with 2 transmitters
- Knitted fabric headlining
- Combination meter cluster & multi-information display (mono-color liquid crystal display)
- Accessory socket in floor console box
- Lever-type parking brake with chrome release switch
- Cup holder for front seat
- Gear shift indicator panel (material black)
- Dual-zone automatic climate control air conditioning system
- AM/FM radio, CD/MP3 player and 6 speakers and USB port (Inside console box, single port type)
- Shark fin antenna
- Halogen headlamps with manual leveling
- LED rear combination lamps
- LED position lamps
- Rear fog lamp (driver's side)
- Windshield intermittent (variable) wipers with washer
- Rear intermittent wiper and washer

Optional, shown: (5-seater model)

- 215/70R16 + 16" alloy wheels
- Cruise control
- Roof rails (silver)
- Reverse warning
- Audio switch
- Inner door handles (chrome)
- Tonneau cover
- Display audio with AM/FM radio, CD/MP3 player, 6 speakers, USB port (Inside console box, single port type) and rear view monitor/camera
- Front fog lamps (reflector type)
- LED daytime running lamps

Optional, shown: (7-seater model)

- 225/55R18 + 18" alloy wheels
- Cruise control
- Outer door handles (chrome)
- Electric tailgate
- Chrome beltline moldings
- Roof rails (silver)
- Driver's and front passenger's SRS side airbags & SRS curtain airbags, driver's SRS knee airbag, retractable assist grip x 4
- Reverse warning
- Leather steering wheel (with glossy black paint & chrome accent) and shift knob
- Paddle shift on steering wheel
- Audio switch
- Hands-free module and switch
- Leather seats with stitches
- Power seat adjuster and seatback pocket on leather seat
- Seat heater on leather seat
- Inner door handles (chrome)
- Keyless Operation System (KOS) with two Keyless Operation Keys and power switch
- Sunroof

- Black plywood printed instrument accent panel and door trim accent panel
- High-contrast combination meter cluster & multi-information display (color liquid crystal display)
- Tonneau cover
- Mitsubishi Multi Communication System (MMCS) navigation system with Rockford Fosgate® 710W premium sound system, AM/FM radio, CD/MP3 player, 9 speakers, USB port (Inside console box, single port type) and rear view monitor/camera
- LED headlamps with auto leveling device
- Headlamp washers (pop-up type)
- Front fog lamps (reflector type)
- LED daytime running lamps
- Auto rain-sensing variable intermittent windshield wipers with intelligent washers and auto lighting control

Note: Rockford Fosgate® and associated logos are registered trademarks of Rockford Corporation in the United States and other countries.

EQUIPMENT LEVEL

GLS

4WD 3.0L

7-SEATER



Key features (in addition to GLX features)

- 225/55R18 + 18" alloy wheels
- Cruise control
- Outer door handles (color-keyed)
- Leather steering wheel (with glossy black paint & chrome accent) and shift knob
- Paddle shift on steering wheel
- Audio switch
- Inner door handles (chrome)
- High-contrast combination meter cluster & multi-information display (color liquid crystal display)
- Electric Parking Brake
- Brake Auto Hold
- Gear shift indicator panel (glossy black)
- Tonneau cover
- Luggage floor box
- Front fog lamps (reflector type)

Optional, shown:

- Outer door handles (chrome)
- Chrome beltline moldings
- Roof rails (silver)
- Ultrasonic misacceleration Mitigation System (UMS)
- Corner sensors (8 points)
- Blind Spot Warning (BSW) with Lane Change Assist
- Hands-free module and switch
- Leather seats with stitches
- Power seat adjuster and seatback pocket on leather seat
- Seat heater on leather seat
- Keyless Operation System (KOS) with two Keyless Operation Keys and power switch
- Sunroof

- Black plywood printed instrument accent panel and door trim accent panel
- Display audio with Rockford Fosgate® 710W premium sound system, AM/FM radio, CD/MP3 player, 9 speakers, USB port (Inside console box, single port type) and rear view monitor/camera
- LED headlamps with auto leveling device
- Headlamp washers (pop-up type)
- LED daytime running lamps
- Auto rain-sensing variable intermittent windshield wipers with intelligent washers and auto lighting control

Note: Rockford Fosgate® and associated logos are registered trademarks of Rockford Corporation in the United States and other countries.

EXTERIOR COLORS

NEW COLOR



Sterling Silver Metallic (U25)



Orient Red Metallic (P26)



Quartz Brown Metallic (C06)



Titanium Gray Metallic (U17)



Black Pearl (X42)



White Pearl (W13)




Cosmic Blue Metallic (D14)




White Solid (W37)

SEAT MATERIALS



Beige fabric with stitches



Beige leather with stitches

Note: Leather seats include synthetic leather on the sides, rear, head restraint and certain other surfaces (also on rear center armrest sides, door armrests and door trim etc.). Equipment may vary by market. Please consult your local Mitsubishi Motors dealer/distributor for details.

EXTERIOR COLORS AND SEAT MATERIALS

■ Available

| Grade | | GLX | GLS |
|--------------------------|-------------|----------------------------------|-------------|
| Engine | | 2.4L | 3.0L |
| Wheel drive | | 4WD | |
| Transmission | | CVT | 6AT |
| Seating | | 5 | 7 |
| Model code | | GF3WXTSHZLW | GF4WXLXYZLW |
| Interior | Basic color | Beige | |
| | Material | Fabric with stitches | |
| | | Leather with stitches (Optional) | |
| Exterior | | Availability | |
| Sterling Silver Metallic | U25 | ■ | ■ |
| Quartz Brown Metallic | C06 | ■ | ■ |
| Black Pearl | X42 | ■ | ■ |
| Cosmic Blue Metallic | D14 | ■ | ■ |
| Orient Red Metallic | P26 | ■ | ■ |
| Titanium Gray Metallic | U17 | ■ | ■ |
| White Pearl | W13 | ■ | ■ |
| White Solid | W37 | ■ | ■ |

Note: Colors shown may differ slightly from actual colors due to printing process. Please consult your local Mitsubishi Motors dealer/distributor for actual colors.

GENUINE ACCESSORIES



Note: Equipment and accessories may vary by market (and may vary from those shown or change without notice). Please consult your local Mitsubishi Motors dealer/distributor for details.

STANDARD AND OPTIONAL EQUIPMENT

■ Standard □ Optional — Not available

| Grade | | | GLX | GLS | | |
|--|--|---|--|------|---|---|
| Engine | | | 2.4L | 3.0L | | |
| Model code | | | 4B12 | 6B31 | | |
| Wheel drive | | | 4WD | | | |
| Transmission | | | CVT | 6AT | | |
| Seating | | | 5 | 7 | | |
| Drivetrain and Chassis | Drivetrain | Electronically controlled 4WD (4WD AUTO / 4WD ECO / 4WD LOCK) | ■ | ■ | | |
| | Suspensions | Front | MacPherson strut with coil springs and stabilizer bar | ■ | ■ | |
| | | Rear | Multi link with coil springs and stabilizer bar | ■ | ■ | |
| | Tires and wheels | 215/70R16 + 16" with full wheel covers | | ■ | ■ | |
| | | 215/70R16 + 16" alloy wheels | | □ | □ | |
| | | 225/55R18 + 18" alloy wheels | | □ | ■ | |
| | | Spare | 215/70R16 + 16" steel wheel | ■ | ■ | |
| | | | 215/70R16 + 16" alloy wheel | □ | □ | |
| | Brakes | 225/55R18 + 18" alloy wheel | | □ | ■ | |
| | | 4ABS + EBD | | ■ | ■ | |
| | | Brake override system | | ■ | ■ | |
| | | Front ventilated disc brakes | | ■ | ■ | |
| | Others | Rear disc brakes | | ■ | ■ | |
| | | Cruise control | | □ | □ | |
| | | Shift lock with key inter-lock | | ■ | ■ | |
| T/M oil cooler | | ■ | ■ | | | |
| Exterior | Bumpers | Front bumper (color-keyed) | ■ | ■ | | |
| | | Rear bumper (color-keyed) | ■ | ■ | | |
| | | Front skid plate (silver) | ■ | ■ | | |
| | | Rear skid plate (silver) | ■ | ■ | | |
| | Radiator grille | Radiator grille (chrome, silver) | | ■ | ■ | |
| | Door | Outer door handles (black) | | ■ | ■ | |
| | | Outer door handles (color-keyed) | | □ | □ | |
| | | Outer door handles (chrome) | | □ | □ | |
| | | Power windows (front and rear doors, driver auto up and down) | | ■ | ■ | |
| | | Electric tailgate | | □ | □ | |
| | Door mirrors | Color-keyed door mirrors and side turn lamps, electronically controlled with defoggers and folding function | | ■ | ■ | |
| | Glass | Windshield - Laminated green with sound proof | | ■ | ■ | |
| | | Front, rear door and quarter - Tempered green | | ■ | ■ | |
| | | Rear window - Tempered green with hot wire and timer | | ■ | ■ | |
| | Moldings | Privacy glass (rear door, quarter window, tailgate) | | □ | □ | |
| | | Black beltline moldings | | ■ | ■ | |
| | Others | Chrome beltline moldings | | □ | □ | |
| | | Tail pipe (single) | | ■ | ■ | |
| | | Tailgate garnish (color-keyed, chrome) | | ■ | ■ | |
| | | Door garnish (material color, silver) | | ■ | ■ | |
| | | Side sill garnish (material color) | | ■ | ■ | |
| | | Scuff plate | | ■ | ■ | |
| | | Roof rails (silver) | | □ | □ | |
| | | Wheel arch garnish | | ■ | ■ | |
| | | Ornaments and badges | "OUTLANDER" mark on rear left side | | ■ | ■ |
| | | | 4WD decal on rear right side | | ■ | ■ |
| | Safety and Security | Security | Immobilizer | | ■ | ■ |
| | | | Theft protection devices | | ■ | ■ |
| | | | - Door and hood opening detection | | ■ | ■ |
| | | Airbags | - Alarm: Horn, extra horn, side indicator | | ■ | ■ |
| Driver's and front passenger's SRS front airbags | | | ■ | ■ | | |
| Driver's and front passenger's SRS side airbags & SRS curtain airbags, driver's SRS knee airbag, retractable assist grip x 4 | | | □ | □ | | |
| Seatbelts | | Front | 3-point belt with ELR x 2 | ■ | ■ | |
| | | | Adjustable type belt anchor | ■ | ■ | |
| | | Front 3-point ELR seatbelt with force-limiter and pretensioner (single pretensioner) | | ■ | ■ | |
| | | 2nd row | 3-point belt with ELR and ALR x 2, 3-point belt with ELR x 1 | | ■ | ■ |
| | | 3rd row | 3-point belt with ELR x 2 | | — | ■ |
| Others | | Active Stability Control (ASC), Hill Start Assist (HSA), Brake Assist | | ■ | ■ | |
| | | Forward Collision Mitigation (FCM) system | | — | □ | |
| | | Adaptive Cruise Control (ACC) system | | — | □ | |
| | | Automatic high-beam | | — | □ | |
| | Multi Around Monitor | | — | □ | | |
| | Ultrasonic misacceleration Mitigation System (UMS) | | — | □ | | |
| Corner sensors (8 points) | | — | □ | | | |

Note: Equipment may vary by market. Please consult your local Mitsubishi Motors dealer/distributor for details.

STANDARD AND OPTIONAL EQUIPMENT

■ Standard □ Optional — Not available

| Grade | | | GLX | GLS | | |
|----------------------------|---|---|---|---|--|---|
| Engine | | | 2.4L | 3.0L | | |
| Model code | | | 4B12 | 6B31 | | |
| Wheel drive | | | 4WD | | | |
| Transmission | | | CVT | 6AT | | |
| Seating | | | 5 | 7 | | |
| Safety and Security | Others | Blind Spot Warning (BSW) with Lane Change Assist | — | □ | | |
| | | Rear Cross Traffic Alert (RCTA) | — | □ | | |
| | | Reverse warning | □ | □ | | |
| | | Tire Pressure Monitoring System (TPMS) | ■ | ■ | | |
| Interior | Steering and shift knob | Electric power steering | ■ | ■ | | |
| | | Tilt and telescopic-adjustable steering column | ■ | ■ | | |
| | | Urethane steering wheel (with silver accent) and shift knob | ■ | ■ | | |
| | | Leather steering wheel (with glossy black paint & chrome accent) and shift knob | □ | □ | | |
| | | Paddle shift on steering wheel | □ | □ | | |
| | | Audio switch | □ | □ | | |
| | | Cruise control switch | □ | □ | | |
| | | Hands-free module and switch | □ | □ | | |
| | Seats | Material | Fabric with stitches | ■ | ■ | |
| | | | Leather with stitches | □ | □ | |
| | | Driver | Sliding, reclining and seat height adjustment | | ■ | ■ |
| | | | Power seat adjuster and seatback pocket on leather seat | | □ | □ |
| | | | Seat heater on leather seat | | □ | □ |
| | | Front Passenger | Sliding and reclining | | ■ | ■ |
| | | | With seatback pocket | | ■ | ■ |
| | | | Seat heater on leather seat | | □ | □ |
| | | | 2nd row | | Separate type with center armrest and cup holder | ■ |
| | | 3rd row | Reclining | | ■ | ■ |
| | Split slide | | — | ■ | | |
| | Double action folding | | ■ | ■ | | |
| | Walk-in system | | — | ■ | | |
| | Separate type | | — | ■ | | |
| | Reclining | | — | ■ | | |
| | Headrests | Fold and stow feature | | — | ■ | |
| | | Other | | ISO-FIX child restraint seat anchor x 2 | ■ | ■ |
| | | Front | Height adjustable - 2 pieces | | ■ | ■ |
| | Door trims | 2nd row | Height adjustable - 3 pieces | | ■ | ■ |
| | | 3rd row | 2 pieces | | — | ■ |
| Door | Type | Form type with cloth insert | | ■ | ■ | |
| | | Door trim panel (silver painted) | | ■ | ■ | |
| | Upper | Soft type (front) | | ■ | ■ | |
| | | Front | With molded door pocket and bottle holder | | ■ | ■ |
| Locking system | Rear | With molded door pocket and bottle holder | | ■ | ■ | |
| | Inner door handles (material color) | | ■ | ■ | | |
| Roof | Inner door handles (chrome) | | □ | □ | | |
| | Center door locking system | | ■ | ■ | | |
| | Child proof | | ■ | ■ | | |
| | Keyless entry with 2 transmitters | | ■ | ■ | | |
| | Keyless Operation System (KOS) with two Keyless Operation Keys and power switch | | □ | □ | | |
| | Tailgate opener (electric type) | | ■ | ■ | | |
| | Fuel lid opener | | ■ | ■ | | |
| | Ignition key cylinder with illumination | | ■ | ■ | | |
| | Sunroof | | □ | □ | | |
| | Sunglass pocket | | □ | □ | | |
| Roof | Knitted fabric headlining | | ■ | ■ | | |
| | Driver's and front passenger's sunvisor with vanity mirror, lid and ticket holder with light illumination | | ■ | ■ | | |
| | Day and night rear view mirror | | ■ | ■ | | |
| | Auto dimming rear view mirror | | □ | □ | | |
| | Auto dimming rear view mirror with monitor | | — | □ | | |
| | Retractable assist grip x 3 | | ■ | ■ | | |
| | Coat hanger x 1 | | ■ | ■ | | |

WARNING

- Individuals who use implantable pacemakers or implantable cardioverter-defibrillators should keep away from the transmitting antenna of keyless operation system. The electromagnetic waves used in the keyless operation system may affect the operation of implantable pacemakers or implantable cardioverter-defibrillators.
- Individuals using other electro-medical apparatuses should check with the manufacturer of the apparatus to confirm the effect of the electromagnetic waves used by the keyless operation system, as the electromagnetic waves may affect their operations.

STANDARD AND OPTIONAL EQUIPMENT

■ Standard □ Optional – Not available

| Grade | | | GLX | GLS | | |
|--|-----------------------------------|---|---|------|---|---|
| Engine | | | 2.4L | 3.0L | | |
| Model code | | | 4B12 | 6B31 | | |
| Wheel drive | | | 4WD | | | |
| Transmission | | | CVT | 6AT | | |
| Seating | | | 5 | 7 | | |
| Interior | Carpet | Floor carpet (needle punch) | ■ | ■ | ■ | |
| | | Luggage floor carpet (needle punch) | ■ | ■ | ■ | |
| | Instrument panel | Soft upper surface of instrument panel and front door trims | ■ | ■ | ■ | |
| | | Black plywood printed instrument accent panel and door trim accent panel | □ | □ | □ | |
| | | Combination meter cluster & multi-information display (mono-color liquid crystal display) | ■ | ■ | – | |
| | | High-contrast combination meter cluster & multi-information display (color liquid crystal display) | □ | □ | ■ | |
| | Floor console | Rheostat | ■ | ■ | ■ | |
| | | Glove box with lamp | ■ | ■ | ■ | |
| | | Ashtray | ■ | ■ | ■ | |
| | | Accessory socket in floor console box | ■ | ■ | ■ | |
| | | Cigarette lighter on instrument panel | ■ | ■ | ■ | |
| | | Lever-type parking brake with chrome release switch | ■ | ■ | – | |
| | | Electric Parking Brake | – | – | ■ | |
| | | Brake Auto Hold | – | – | ■ | |
| | | Large type floor console with armrest | ■ | ■ | ■ | |
| | | Cup holder for front seat | ■ | ■ | ■ | |
| | Shift indicator | Gear shift indicator panel (material black) | ■ | ■ | – | |
| | | Gear shift indicator panel (glossy black) | □ | □ | ■ | |
| | Others | Head protection interior | ■ | ■ | ■ | |
| | | Tonneau cover | □ | □ | ■ | |
| | | Luggage room hook | ■ | ■ | ■ | |
| | | Tailgate inside grip | ■ | ■ | ■ | |
| | | Luggage floor box | □ | ■ | ■ | |
| | | Tool set (simple set) and jack set | ■ | ■ | ■ | |
| | | Upgraded silence | □ | □ | □ | |
| | | | | | | |
| | Air Conditioning and Audio | Air conditioning | Dual-zone automatic climate control air conditioning system | ■ | ■ | ■ |
| | | | Air filter | ■ | ■ | ■ |
| | Audio system | | AM/FM radio, CD/MP3 player and 6 speakers and USB port (inside console box, single port type) | ■ | ■ | ■ |
| | | | Display audio with AM/FM radio, CD/MP3 player, 6 speakers, USB port (inside console box, single port type) and rear view monitor/camera | □ | □ | □ |
| | | Display audio with Rockford Fosgate® 710W premium sound system, AM/FM radio, CD/MP3 player, 9 speakers, USB port (inside console box, single port type) and rear view monitor/camera | □ | □ | □ | |
| | | Mitsubishi Multi Communication System (MMCS) navigation system with AM/FM radio, CD/MP3 player, 6 speakers, USB port (inside console box, single port type) and rear view monitor/camera | □ | □ | □ | |
| | | Mitsubishi Multi Communication System (MMCS) navigation system with Rockford Fosgate® 710W premium sound system, AM/FM radio, CD/MP3 player, 9 speakers, USB port (inside console box, single port type) and rear view monitor/camera | □ | □ | □ | |
| | | Rear entertainment system with headphones x 1 | □ | □ | □ | |
| Antenna | Shark fin antenna | ■ | ■ | ■ | | |
| Electrical | Exterior lamps | Halogen headlamps with manual leveling | ■ | ■ | ■ | |
| | | LED headlamps with auto leveling device | □ | □ | □ | |
| | | Headlamp washers (pop-up type) | □ | □ | □ | |
| | | Front fog lamps (reflector type) | □ | □ | ■ | |
| | | Front fog lamps (LED) | □ | □ | □ | |
| | | High-mount stop lamp on tailgate | ■ | ■ | ■ | |
| | | LED rear combination lamps | ■ | ■ | ■ | |
| | | LED position lamps | ■ | ■ | ■ | |
| | | LED daytime running lamps | □ | □ | □ | |
| | | Rear fog lamp (driver's side) | ■ | ■ | ■ | |
| | Interior lamps | Front room lamp with map lamp | ■ | ■ | ■ | |
| | | Rear room lamp | ■ | ■ | ■ | |
| | | Luggage room lamp | ■ | ■ | ■ | |
| | Wipers | Windshield intermittent (variable) wipers with washer | ■ | ■ | ■ | |
| Auto rain-sensing variable intermittent windshield wipers with intelligent washers and auto lighting control | | □ | □ | □ | | |
| Rear intermittent wiper and washer | | ■ | ■ | ■ | | |

Note: Rockford Fosgate® and associated logos are registered trademarks of Rockford Corporation in the United States and other countries.

TECHNICAL SPECIFICATIONS

| Grade | | | GLX | GLS | |
|-------------------------------|--|--|---|----------------------------|------|
| Engine | | | 2.4L | 3.0L | |
| Wheel drive | | | 4WD | | |
| Transmission | | | CVT | 6AT | |
| Seating | | | 5 | 7 | |
| Model code | | | GF3WXTSHZLW | GF3WXTMHZLW | |
| GF4WXLXYZLW | | | | | |
| Dimensions and weights | | | | | |
| Overall length | | | mm | 4695 | |
| Overall width | | | mm | 1810 | |
| Overall height | | | Without roof rail | mm | 1710 |
| | | | With roof rail | mm | 1710 |
| Wheelbase | | | mm | 2670 | |
| Track | | | Front | mm | 1540 |
| | | | Rear | mm | 1540 |
| Ground clearance (unladen) | | | mm | | |
| Curb weight | | | Total | kg | 1505 |
| | | | Front | kg | 865 |
| | | | Rear | kg | 640 |
| Gross vehicle weight | | | kg | 2210 | |
| Gross axle weight | | | Front | kg | 1150 |
| | | | Rear | kg | 1250 |
| Seating capacity | | | persons | 5 | |
| 7 | | | | | |
| Performance | | | | | |
| Max. speed | | | km/h | 198 | |
| Acceleration | | | 0-100 km/h | sec. | 10.5 |
| | | | 120-140 km/h | sec. | 6.1 |
| | | | 0-400 m | sec. | 17.7 |
| Min. turning radius | | | m | 5.3 | |
| Engine | | | | | |
| Type (code) | | | DOHC MIVEC (4B12) | SOHC MIVEC (6B31) | |
| Fuel type / octane | | | Unleaded / RON 90 and over | Unleaded / RON 95 and over | |
| Total displacement | | | cc | 2360 | |
| Bore x stroke | | | mm | 88.0 x 97.0 | |
| Compression ratio | | | | 10.5 | |
| Max. output (EEC net) | | | kW (PS)/rpm | 123 (167)/6000 | |
| Max. torque (EEC net) | | | N·m (kg-m)/rpm | 222 (22.6)/4100 | |
| Fuel system | | | | | |
| Fuel supply system | | | Electronically Controlled Injection | | |
| Fuel tank capacity | | | liters | 60 | |
| Electrical system | | | | | |
| Alternator | | | V-Ah | 12-105 | |
| Starter | | | V-kW | 12-1.3 | |
| Transmission | | | | | |
| Type | | | CVT | 6AT | |
| Gear ratio | | | D range | 2.631-0.378 | |
| | | | 1st | – | |
| | | | 2nd | – | |
| | | | 3rd | – | |
| | | | 4th | – | |
| | | | 5th | – | |
| | | | 6th | – | |
| | | | Reverse | 1.960 | |
| Final | | | 6.026 | 3.360 | |
| Steering | | | | | |
| Type | | | Rack and pinion (electric power assisted) | | |
| Suspensions | | | | | |
| Front | | | MacPherson strut with coil springs and stabilizer bar | | |
| Rear | | | Multi link with coil springs and stabilizer bar | | |
| Brakes | | | | | |
| Front | | | Ventilated discs | | |
| Rear | | | Discs | | |
| Tires and wheels | | | | | |
| Tires (front and rear) | | | 215/70R16 | 225/55R18 | |

Note: Hazardous driving may cause serious injury or vehicle damage. Please drive safely at all times.