

DIMENSIONAL VIEWS

Single Cab (2WD)












Double Cab (2WD)











Double Cab (4WD)









* With license garnish ** Measured from bottom of bed

All measurements in millimeters



www.facebook.com/MitsubishiMotors.en



www.instagram.com/mitsubishimotorsofficial



ww.voutube.com/user/MitsubishiMotorsAd





©2018 – 2019 Mitsubishi Motors Corporation. All rights reserved. Gc/E32C233Jan.18EG Printed in Japan



The paper used in this catalogue has been certified by the FSC $^{\infty}$ (Forest Stewardship Council $^{\infty}$) as having been produced through a 'chain of custody' system of forestry management, tracking and production oversight that ensures responsible consideration for the earth's ecosystem. Mitsubishi Motors has adopted the combined use of FSC-certified paper and recycled paper in our efforts to reduce CO_2 emissions and promote more efficient use of natural resources. In this way, we hope to contribute to greater protection of the environment.











A Stylish Show of Strength.

Feel the power. Feel the handling.
Feel a new level of comfort in an entirely new class of vehicle.
The L200, it's all truck and all car and it changes
the way you think about getting from one place to another.





Outstanding aerodynamic performance

The L200 is streamlined based on advanced computer simulation to slip through the wind with a class-leading 0.42* Cd that lowers noise and raises fuel efficiency while enhancing both acceleration and handling stability.

*According to internal test results.






Wide Open Spaces

Travel comfortably in the L200 Double Cab, which offers class-leading space and leg-stretching relaxation. Enhanced high-quality seating, raises driving pleasure for all occupants. Strategically placed sound insulation and vibration damping material further contribute to a quiet, comfortable ride. Everything you need, including convenient storage features, is here to support a pleasurable journey.


Class-leading cabin length



Luxurious front seats



Quieter, more relaxing ride



- 1 Instrument panel sound absorbing material
- 2 Floor damping material
- 3 Dashboard and fender noise insulation
- 4 Backbone sound absorbing material * Equipment may vary by model.

Note: Equipment may vary by market. Please consult your local Mitsubishi Motors dealer/distributor for details.

Power is supplied in abundance whenever you need it, from your choice of one gasoline and two diesel engines, including a 2.5-liter powerhouse that generates an impressive 100kW/4000rpm. Whatever the driving conditions, the L200 has what it takes to accomplish your mission.



Power-boosting features give L200 DI-D engines incredible performance

2.5-liter 16-valve Intercooled Turbocharged DOHC Common Rail DI-D

Two intercooled turbocharged diesel engines deliver the spirited response you need for serious work and play. Their common rail direct injection system optimizes fuel dispersion for peak efficiency, low CO₂ emissions and power on demand.

324_{N·m}




DOHC 16-valve layout

Dual overhead camshafts and 16 cylinder valves deliver extremely high performance by optimizing fuel intake, combustion and exhaust. Precisely balanced roller rocker arms and scissor gears also fine-tune valve timing to achieve more complete combustion.




Turbocharger

A turbocharger forces more air into the combustion chambers to significantly boost power. An intercooler optimally cools the air to further improve combustion efficiency.




2.5-liter Intercooled Turbocharged DOHC DI-D (94kW/4000rpm)



2.5-liter Intercooled Turbocharged DOHC DI-D (100kW/4000rpm)

2.4-liter SOHC 16-valve MPI

Whether hauling heavy loads or opening up on the highway, the 2.4-liter SOHC engine supplies more than ample horsepower and torque with low noise and vibration.



2.4-liter SOHC 16-valve MPI (97kW/5250rpm)

5-speed manual transmission

The 5-speed manual transmission offers a feeling of total control that many enthusiasts demand. Its solid stick shift provides smooth, sure operation so you can confidently and intuitively coax out maximum performance.













Robust Handling

The L200 is built for maximum stability and traction. The rugged frame and aerodynamically contoured body contribute to solid handling and stable highway performance. Reliable 4WD traction combines with an advanced suspension to keep you in touch with surface conditions so you stay in firm control.

EASY SELECT 4WD

Switch from smooth 2WD (2H) highway performance to rugged 4WD (4H) traction while driving at up to 100km/h. Transfer torque to all four wheels with a flick of the transfer shift lever in the 4H mode or by entering the 4L mode, which provides lower gear ratios and higher torque for slower speed driving in

Note: Easy Select 4WD lets you shift between 2H and 4H modes at speed up to 100km/h. Vehicle must be stopped when switching between 4H and 4L. Please see the owner's manual for additional information.



The choice for normal road situations. Only the rear wheels receive power, providing a smooth,

4H (4WD high range)



For rougher roads or hazardous conditions. All wheels receive torque, giving better traction to keep you out of trouble.

4L (4WD low range)



The best choice for sure off-road handling. Four-wheel performance shifts into low gear for maximum traction through mud or sand.

All-terrain confidence



meters



Class-leading 5.7m turning radius

Steering is sporty and responsive, requiring less effort to turn.

especially easy to park and maneuver.


Quick, responsive handling

* 2WD: 5.7 meters, 4WD: 5.9 meters

The turning radius is surprisingly small for a vehicle of this size, making the L200



Drivability is improved, both on and off the road. Forward visibility has also been improved through refinements to the hood and wipers Indicated angles are valid when 205R16C tires are mounted.








Room to spare

The stylish L200 never forgets its true calling. When you're hard at work, it provides all the space and tough reliability you need. The spacious cargo bed is also solidly reinforced to offer outstanding durability.










*1: Measured from top edges



Cargo bed inner hook x 6

Multipurpose cargo bed outer hooks





Durable design



Robust construction



More rigid engine compartment



In front, a more rigid engine compartment and double striker in the hood safety mechanism contribute to enhanced durability and safety. In the cargo bed, the rear corners are specially reinforced to disperse the force of impact when cargo shifts and prevent damage such as cracks in the side panels.

Double wishbone suspension

The rugged suspension features double wishbones with coil springs and a stabilizer bar in front, plus no-nonsense above-the-axle leaf springs in the rear for outstanding traction. The ride is stable and comfortable for all occupants.



Hood safety mechanism with double striker



Reinforced rear corners



Convenience





Tilt steering







Manual air conditioner

(

Floor console with lid





The keyless entry system lets you lock or unlock the doors with the press of a keyless entry key. Two keys are provided for the convenience of couples.

Keyless entry system

ETACS (Electronic Time and Alarm Control System)



Power window timer

Even after shutting off the engine, the power windows can be opened or closed for 30 seconds before opening the door.



Headlamp auto off function

After switching off the ignition and stepping out of the car, the headlamps automatically turn off to help conserve battery power.



Auto door relock system

Within 30 seconds of pressing the unlock button from outside the car, this system will automatically relock all the doors if none



Auto speed adjustable wipers


In the Timing mode, the window wipers operate faster at higher vehicle speeds.

Safety

RISE body

Collision safety performance is significantly enhanced by Mitsubishi Motors' RISE (Reinforced Impact Safety Evolution) body, which efficiently absorbs energy and maintains high cabin integrity in the event of a collision.

Rigid lightweight body



The body is extremely sturdy and lightweight, thanks to the generous use of high tensile strength steel plates that also contribute to a high level of collision safety.





Pretensioners

Pretensioners on the front seatbelts automatically tighten the belts in the event of a frontal collision to help restrain the driver and front passenger and reduce the force of impact when the front airbags are deployed.




Driver and passenger airbag system

In the event of a collision, front SRS airbags help protect you and the front passenger by absorbing the force of impact.

Tire Pressure Monitoring System (TPMS)


TPMS employs sensor-transmitters in the wheels to monitor tire pressure and illuminates a warning lamp in the meter panel if one or more tires becomes significantly underinflated.





The L200's ABS gives you the ability to suddenly maneuver safely around obstacles as you slow down. EBD (Electronic Brake-force Distribution) assists by applying additional force to the rear brakes as needed, enabling quicker stops even when carrying passengers and heavy loads.


Note: ABS can help a driver prevent unsafe situations while braking, but is never a substitute for safe riving. ABS does not always reduce stopping distances. Stopping distance and be influenced by many factors including road surface conditions and friction between the tires and the road surface.



Active Stability & Traction Control (ASTC)

Active Stability & Traction Control independently regulates braking force to the wheels during cornering to help maintain excellent vehicle stability when needed. It also optimizes traction to prevent loss of torque whenever wheel spin is detected by controlling engine output and applying brake force to the spinning wheels.

Note: The control capabilities of ASTC are supplemental only. Please drive safely and never rely solely on these functions while driving. Be sure to use the same specified type and size of tires on all 4 wheels. Do not install any aftermarket limited slip differential on your vehicle. Please see the owner's manual for additional information





(

Single Cab GL (2WD)

Available engines: 2.4-liter ECI-MULTI, 2.5-liter intercooled turbocharged DI-D









Double Cab GL (2WD)

•

Available engines: 2.4-liter ECI-MULTI, 2.5-liter intercooled turbocharged DI-D









Note: Equipment may vary by market. Please consult your local Mitsubishi Motors dealer/distributor for details.

Double Cab GLX (4WD)

Available engines: 2.4-liter ECI-MULTI, 2.5-liter intercooled turbocharged DI-D











(1)

EXTERIOR COLORS

NEW COLOR



Black Mica (X37)



Impulse Blue Metallic (D23)



Earth Green Metallic (F27)



Sterling Silver Metallic (U25)



Grayish Brown Metallic (C06)



Red Solid (R59)



Titanium Gray Metallic (U17)



White Solid (W32)



White Pearl (W54)

STANDARD EQUIPMENT AND OPTIONS



Chrome grille



Chrome rear gate

handle

Chrome outer door handle



Chrome power door mirror



"MITSUBISHI" decal on rear gate



Chrome rear step bumper



AM/FM Radio, CD player



SEAT MATERIALS AND COLORS



Fabric (Light Gray)

16-inch alloy wheel with 205R16C 8PR tire

Genuine accessories



Side stripes (Double Cab)

EXTERIOR AND INTERIOR COLOR COMBINATIONS

				■ Star	ndard — Not available
Grade		Single Cab	Doub	e Cab	
			GL	GL	GLX
Seat materials and colors	Fabric (Light Gray)				
Exterior colors	Black Mica	X37			
	Impulse Blue Metallic	D23			
	Earth Green Metallic	F27			
	Sterling Silver Metallic	U25			•
	Grayish Brown Metallic	C06			
	Red Solid	R59			
	Titanium Gray Metallic	U17			
	White Solid	W32			
	White Pearl	W54	_		

Note: Colors shown may differ slightly from actual colors due to printing process. Please consult your local Mitsubishi Motors dealer/distributor for actual colors.



Note: Equipment and accessories may vary by market (and may vary from those shown or change without notice).

Please consult your local Mitsubishi Motors dealer/distributor for details.

STANDARD AND OPTIONAL EQUIPMENT


■ Standard □ Ontion — Not available

Body type Drive system Trim level / Gra Transmission Engine Model code	nde	2\	le Cab WD GL			2WD				Double Cab			VD			
Transmission Engine	de	(GL			01										
Engine						GL			5117			G	LX			
		O 4L MDI	2.5L IC T/C		0.41.1451		0.51.10	T/0 DI D	5M/T	0.41	MDI			0.51.10.7/	2 DI D (0T)	
Model code		2.4L MPI	DI-D		2.4L MPI		2.5L IC	T/C DI-D		2.4L	. MPI			2.5L IC 1/0	C DI-D (ST)	
Model code		KJ4TEN JMLW	KJ3TEN JFLW	KJ4TJNJMLW		KJ3T.	JNJFLW		KL4TJI	NUMLW		KL3TJNUFLW				
Package option	1	Basic package	Basic package	Basic package + Power window	Basic package + Power window + Keyless entry	Chrome package + Sport type	Basic package + Power window	Basic package + Power window + Keyless entry	Basic package	Basic package + Keyless entry	Chrome package	Chrome package + Alloy wheel + Interior upgrade	Basic package	Basic package + Keyless entry	Chrome package	Chr pac Alloy Inte
Drivetrain and Drivetrain	chassis 5-speed manual transmission															
	2WD								=	1 -	Ξ.	_	_	=	-	
	Easy Select 4WD	_	_	_	-	_	-	_	•	•	•	-	•		•	
Suspension and differential	Heavy duty suspension Front stabilizer	•								- :			•	- :	•	
Brakes	ABS with EBD					- 1										
Front	Ventilated disc brakes (Diameter 270mm)	-	-		•				-	-	-	-	-	-	-	
Rear	Ventilated disc brakes (Diameter 294mm) 10-inch drum brakes	_	-	-	-	-	-	-	-	-	-	-	•	-	•	
11001	11.6-inch drum brakes	_	_	_	_	-	-	=								
Tires and wheels	Front & Rear: 195R15C 8PR + 15-inch steel wheels (chrome center caps) Spare: 195R15C 8PR + 15-inch steel wheel		•		•		•		-	-	-	-	-	-	-	
	Front & Rear: 205R16C 8PR + 16-inch steel wheels (chrome center caps) Spare: 205R16C 8PR + 16-inch steel wheel	-	-	-	-	-	-	-				-				
	Front & Rear: 205R16C 8PR + 16-inch alloy wheels Spare: 205R16C 8PR + 16-inch steel wheel	-	-	-	-	-	-	-	-	_	-	•	-	_	-	
Battery	Tire Pressure Monitoring System (TPMS) 55D23L	•	-				-	-			-:-		-	•	-	
	80D26L	-		-	-	-			-	-	-	-				
Others Exterior Grille	Full tool and jack set			÷		•					•	•	•		•	ľ
Chrome	Front grille: material black (type A)	•	•	-	•	•	•	-	•	-	_	_	•	-	_	
Package	Front grille: chrome (type B) Chrome power door mirrors Chrome outer door handles Chrome rear gate handle	-	-	-	-	-	-	-	-	-	•	•	-	-	•	ı
	Chrome power door mirrors Chrome outer door handles Chrome rear gate handle	-	-	-	-	•	-	-	-	-	-	-	-	-	-	
Bumpers	Front bumper: material black Under garnish: material black	•	•	•	•	•	•	•	•	•	-	•	•	•	•	
	Front bumper: color-keyed Under garnish: material black											-		-		
Lamp	Halogen headlamp with amber upper accent and material											-				
	black bezel (type A) Side turn lamp on fender clear lens & amber bulb	-										-				
Front Other	Front skid plate	-	-	-	-	-	-	-	-	-		-	•		•	
Other	Floor undercover Front towing hook					- :	•				•		•	- :	•	
	Front tie down hook	-	-		-							-				
Glass	Laminated green windshield	-	•	•	•	•	•	•	•	•	-	-	•	•	•	
	Windshield sunshade Rear window with defogger (with timer)															
Sides	Front mud guards	_	_	_	_	_	=		-	-	-	-	-		-	
	Rear mud guards	-	•	•	•		•	•	•		-	-	•	•	•	
	Outer door handles: material black Manually controlled door mirrors (turnover type): material	•	-	•	•	_	•	•	•		_	_	•	•	-	
Rear/Cargo	black	•	-	•	•	_		•	•	•	_	_	•		_	
Rear/Cargo	Rear body guard frame Bar-type cargo bed outer hooks															
	Cargo bed inner hook x 6	-	-								-	-				
	Rear gate handle: material black	-				_						_	•		_	1
	Gate stopper (detachable type) Step bumper (chrome type)						•						•	-:-		
Ornament	"L200" mark on left side	-	•	-	-		-		-		-	-	-	-	-	
	"DI-D" mark on right side	-	•	_	-	-	•		_	_	-	-	-		•	
	"COMMONRAIL" mark on right side "MITSUBISHI" decal	-		-	-	-	•		-	-	_	-	•			
	Side stripes	-	-													
Interior Safety	Driver's and front passenger's SRS front airbags Front 3-point ELR seatbelt with force-limiter and pretensioner (driver and passenger)															
	Brake assist system (hydraulic)															
Seatbelt	Active Stability and Traction Control (ASTC) Front 3P seatbelt with ELR x 2 & 2P center lapbelt					_	-		_	-	_	-	_	_	_	
Journal	Front 3P seatbelt with ELR x 2	_	-	_	_		_	_								
	Height-adjustable front seatbelt anchor	-	-	•	•							-			•	-
Steering &	Rear 3P seatbelt with ELR x 2 & 2P center lapbelt Power steering	-	-			- :									- :	
Steering & Shift knob	Fower steering Tilt adjustment	•														
	3-spoke urethane steering wheel (with airbag)	•	•	•						•		•			•	
	Urethane transmission shift knob	•	•	•	•		•	•	•	•	•	-	•	•		
	Urethane transfer shift knob Lever-type parking brake	-	-	-	-	-	-	-					•		•	
	Dual hom											-		- :	- :	

STANDARD AND OPTIONAL EQUIPMENT

■ Standard □ Option — Not available

Model Body type		Single Cab					Double Cab										
Drive system Trim level / Grade			ND GL	2WD GL				4WD GLX									
Transmission									5M/T								
Engine			2.4L MPI 2.5L IC T/C DI-D		2.4L MPI 2.5L IC T/C DI-D				2.4L	.MPI		2.5L IC T/C DI-D (ST)					
Model	code		KJ4TEN KJ3TEN KJ4TJNJMLW KJ3TJN			NJFLW	KL4TJNUMLW				KL3TJNUFLW						
Packag	ge option		Basic package	Basic package	Basic package + Power window	Basic package + Power window + Keyless entry	Chrome package + Sport type	Basic package + Power window	Basic package + Power window + Keyless entry	Basic package	Basic package + Keyless entry	Chrome package	Chrome package + Alloy wheel + Interior upgrade	Basic package	Basic package + Keyless entry	Chrome package	Chrom packag + Alloy wh + Interio upgrad
nterio Carpet		Vinyl					_			_	_	_	_	_	_	_	_
		Needle punch with heel pad	-	-	-	-		-	-	•	•	•		•			
Seats		Fabric seats: light gray	•	•	•	•	•	•	•	•	•	-		•	•		
	Front	Front split low back bench seat	•	•	•	•	_	•	•	_	_	_	_	_	_	_	_
		Front seat head restraint x 2 Manual sliding and reclining adjuster (driver's side)	•		•		•	•	- :	•	•	•	•	•		•	-
		Manual sliding and reclining and height adjuster	-	•	-	-	_	-	•				_	_	_		-
		(driver's side)	-	-	-	_	•	-	-	•	•	•	•	•	•	•	-
		Convenience hook (driver's side)	-	-				-		•		-	-			-	
	Separate seat package	Front sport type separate seats Manual sliding and reclining adjuster (passenger's side) Convenience hook (passenger's side) Front 3P seatbelt with ELR x 2	-	-	-	_	•	-	_		•	•		•	•		
	Door	Needle punch floor carpets with heel pad			_	_		_	_	-	_	_		_	_	_	
	Rear	Rear low back bench seat Rear seat head restraint x2	_	_	-			-		•	-		- :				
nstrum	nent	Instrument center panel: material black	-	-													_
anel		Instrument panel air outlet surrounding: material black	•	•	•	•	•	•		•	•	•	-	•	•	•	-
	Interior	Center panel: piano black															
	upgrade package	Air outlet with silver garnish	-	-	-	_	-	-	-	-	-	-		-	-	_	-
		Inner door handles: chrome															
Roof		Assist grip for front seat x 1 (passenger's side)	•	•	•	•	•	-			•	-		•	•		
		Assist grip for rear seat x 2	_	-	•		•	•	•	•		-	•	•	•		-
		Front pillar assist grip Coat hanger x1 (driver's rear side)	_	_	-	-	-	-	-	- :	- :	- :	- :	- :		- :	
		Driver's side sunvisor with ticket holder			- :		- :								- :	- :	-
		Passenger's side sunvisor			- 1												
		Day & night rear view mirror															
		Rear room lamp															
Door		Power window: auto down (driver's side)		_													
		Power window switch panels: interior color		_	_	_		_	_	_				_	_		
Consol	lo	Inner door handles: material color		•	•		•	•	-	-	•	•	-	•	-		-
2011501	ic	Ashtray on instrument panel Floor console with lid - Cup holder for front seats			•	Ė	_	•	Ė	_	_	_	_	_	_	_	-
		Can type ashtray 12V accessory socket in console box Console trim: material black	-	-	-	-	•	-	-	•	•	•	•	•	•	•	•
		Cigarette lighter															
		Glovebox with key cylinder and illumination															
/leter		Combination meter cluster with material black garnish (Speed & Tachometer)	•	•			•	•		-	-	-	-	-	-	-	-
		Combination meter cluster with silver painted garnish (Speed & Tachometer)	-	-	-	-	-	-	-	-	•	•	-	•		•	-
		Multi information display: amber type		•	-	•		•	•	•		-	•	•	•		
unctio	nnal	Rheostat Center door locking system	•	•					•		-	-					- :
ancuc	orial	Center door locking system Child-proof rear door locks	-	_			-:-	- :				•					
		Master key x 2			- :	-	_	- :	-		-	-			-	-	-
		Keyless entry system (Master key with protector x 2)	-	-	-			-		-				-			
		Front variable intermittent windshield wipers with washers															
		Seatbelt warning lamp (driver's side) & buzzer / Speed warning indicator/Ignition key reminder									•	-					
/entila	ition	Manual air conditioning															٠.
		Air conditioning with extra cooling capacity			-			-				-					
		Air filter										-					
		Windshield & side defroster			-	-	•	-	-	-		-			-	-	
udio		AM/FM Radio, CD Player with USB Port	-	-	-		-	-		-	-			-	-		
		2 speakers				-	-		-		-	-	-		-	-	_
		4 speakers	-	-	-			-		-		-		-			
		Pillar antenna			•		•			•		-					
Others		Fire extinguisher				-		-		•		-		-			
		First aid kit		•			•		-			-			-	-	
		Emergency triangle	•	•	•	•	•	•	•	•	•			•	•		
		Tire pressure gauge		-									-			-	







(

TECHNICAL SPECIFICATIONS

Model	Body type	Single	. Cah		Dou	ble Cab					
	Drive system	2W		2WD 4WD							
	Engine	2.4 MPI	2.5 IC/TC DI-D	2.4 MPI	2.5 IC/TC DI-D	2.4 MPI	2.5 IC/TC DI-D				
	Price class	2.4 Will 1			GL	GI.4 WII 1					
	Model code	KJ4TENJMLW	KJ3TENJFLW	KJ4TJNJMLW	KJ3TJNJFLW	KL4TJNUMLW	KL3TJNUFLW				
Dimensions and weights		TOTT LINUWLYY	TOOTEROI EV	TOTTOTOTIEV	NOOTONOT EVV	TAL- TOTACIVILAY	NEO TONOT EVV				
Overall length	mm	5075 (5080*1/5155*2/5160*3/5220*4/5225*5)	5075 (5080*1/5220*4/5225*5)	5200 (5205*1/5280*2/5285*3/5345*4/5350*5)		5200 (5205*1/5345*4/5350*5)					
Overall width	mm	179		0200 (0200 70200 70200 70000 7	1785						
Overall height	mm	16		10	655	17	75				
Wheelbase	mm	30				3000					
Ground clearance	mm	20		2	200	200 (212*6) 200 (205*6)					
Cargo floor height	mm	71			715	84					
Curb weight	kg	1410	1515	1510	1615	1680	1810				
Gross vehicle weight	kg	25		2525	2570	2700	2850				
Seating capacity	persons	3 (2			(5*7)	5					
Performance		-,	,		· ,						
Max. speed*	km/h	169	165	169	165	161	167				
Min. turning radius	m	5.			5.7		5.9				
Engine											
Type (code)		2.4-liter 16-valve inline-4 SOHC petrol (4G64)	2.5-liter 16-valve inline-4 intercooled turbocharged DOHC diesel (4D56)	2.4-liter 16-valve inline-4 SOHC petrol (4G64)	2.5-liter 16-valve inline-4 intercooled turbocharged DOHC diesel (4D56)	2.4-liter 16-valve inline-4 SOHC petrol (4G64)	2.5-liter 16-valve inline-4 intercooled turbocharged DOHC diesel (4D56)				
Displacement	cc	2,351	2,477	2,351	2,477	2,351	2,477				
Max. output (EEC net)	kW (PS)/rpm	97 (132)/5,250	94 (128)/4,000	97 (132)/5,250	94 (128)/4,000	97 (132)/5,250	100 (136)/4,000				
Max. torque (EEC net)	N·m (kg-m)/rpm	202 (20.6)/4000	240 (24.5)/1500-3,500	202 (20.6)/4,000 240 (24.5)/1500-3,500		202 (20.6)/4,000	324 (33.1)/2,000				
Fuel System											
Fuel supply system		ECI-MULTI (Electronic Controlled Injection-Multi Point Injection)	Electronic Common Rail Direct Injection	ECI-MULTI (Electronic Controlled Injection-Multi Point Injection)	Electronic Common Rail Direct Injection	ECI-MULTI (Electronic Controlled Injection-Multi Point Injection)	Electronic Common Rail Direct Injection				
Fuel tank capacity	liters	7:	5			75					
Drive system											
Туре		2W	/D	2WD Easy Select 4WD							
Transmission											
Туре		5-speed	manual		5-spee	ed manual					
Steering											
Туре		Rack-and-pinion	power assisted		Rack-and-pinio	on, power assisted					
Suspensions											
Front		Wishbone,	coil springs	Wishbone, coil springs							
Rear		Elliptic lea	af springs	Elliptic leaf springs							
Brakes											
Front		Ventilated disc brake	s (Diameter 270mm)	Ventilated disc brakes (Diameter 270mm) Ventilated disc brakes (Diameter 294mm)							
Rear		10-inch drur	n brakes	10-inch dru	11.6-inch dru	11.6-inch drum brakes					
Tires and wheels											
Tires (front and rear)		195R15	C 8PR	195R1	5C 8PR	205R16	SC 8PR				



^{*2} Model with stylish bumper

Note: These specifications are subject to change without notice. Please consult your local Mitsubishi Motors dealer/distributor for detailed specifications. Note: Hazardous driving may cause serious injury or vehicle damage. Please drive safely at all times.







^{*3} Model with stylish bumper + license plate garnish

^{*4} Model with step bumper

^{*5} Model with step bumper + license plate garnish

^{*6} Model with reinforced front skid plate and floor undercover

^{*7} Model with front separate seat

^{*} Measured by MITSUBISHI MOTORS CORPORATION